

**Eyevex**<sup>®</sup>

*Our vision Your safety*

PRODUCT

# CATALOGUE

All Personal protective equipments under one roof

 [www.eyevexsafety.com](http://www.eyevexsafety.com)

 [www.eyevexonline.com](http://www.eyevexonline.com)

MIDDLE EAST

AFRICA

C.I.S

INDIA

U.S.A

2022 - 2023





## VISION

---

Our vision, Your Safety

Provide the right personal safety products and share our two decades of expertise in the same with integrity and honesty

## MISSION

---


Provide Ergonomic personal safety products of the highest standards at the competitive prices and style to become the world's leading supplier of personal protective equipment.

## ABOUT US

---

We are a company that believes in sharing our expertise to create solutions and providing a wide range of personal protective equipment that exceeds the expectations of our customers. Today our brands have recognized themselves in the market for their quality and standards, style and high-comfort, achieved through a strong market research. Each of our products have been expertly assessed for the safety of our customers and conforms to the latest international standard. EyeveX Safety's range of products include the biggest names in the PPE field like, Tag It, Fire Warrior, Hunk, Oryx, and EyeveX, that are known and trusted by HSE professionals. Along with the exclusives that deliver great performance with extra value, EyeveX is now recognized as one of the leading PPE providers in MENA.

	HEAD PROTECTION	04		SAFETY SIGNAGE	105
	EYE & FACE PROTECTION	10		BREATHING APPARATUS AND STRETCHER	107
	EAR PROTECTION	25		EMERGENCY AND FIRST AID	111
	RESPIRATORY PROTECTION	28		EYEWASH STATION	115
	MEDICAL AND SURGICAL PROTECTION	39		LENS CLEANING PRODUCTS	125
	HAND PROTECTION	45		CHEMICAL / OIL SPILL KITS	128
	WELDING PROTECTION	63		PROTECTIVE WORKWEAR	133
	FOOT PROTECTION	68		WORK WEAR	141
	FIRE PROTECTION	81		COLD STORE WORKWEAR	151
	SCAFFOLDING TAG	84		FALL PROTECTION	154
	LOCKOUT TAGOUT SOLUTIONS	87		HAND PALLET TRUCK	160
	ROAD SAFETY	95			
	FLASH LIGHT	99			





Oryx Safety Helmet is offered with various accessories along with the helmet. Manufactured under ISO 9002 quality scheme & conforming to EN 397 & ANSI Std.





**CE EN 397**

 Packing: 1x40 = 40  
 Dimension: L60 X W48 X H73 CM  
 Net Weight / KG 11.35 | Gross Weight / KG 12.35

## Oryx SH 802P Pin Lock Type HDPE Material

- Type I, Class E, (Electrical insulation up to 20,000 volt at 60Hz).
- High quality, stylish & ergonomic tough helmets providing maximum wearer protection in diverse industries in the most hazardous environments.
- Manufactured under ISO 9002 quality scheme & conforming to EN 397 & ANSI std.
- Can equip with face shield and ear muffs together.
- Adjustable PE suspension with pin lock system to give a perfect fit.
- Light weight with six point suspension
- It also has a sweatband & Chin Strap can be supplied (optional).
- Made in UAE


**CE EN 397**

 Packing: 1x32 = 32  
 Dimension: L46 X W33 X H49 CM  
 Net Weight / KG 11.50 | Gross Weight / KG 12.30

## Oryx SH 802B with Buckle Adjustment Material HDPE

- High quality, stylish & ergonomic tough helmets providing maximumwearer protection in diverse industries in the most hazardous environments.
- Manufactured under ISO 9002 quality scheme & conforming to EN 397 & ANSI std.
- Adjustable PE suspension with Buckle Adjustment to give a perfect fit.
- Light weight with six point suspension & sweat band along with provision for 'V' Type Chin strap, Face shield & Earmuff (Optional).


**CE EN 397**

 Packing: 1x24 = 24  
 Dimension: L55 X W45 X H56 CM  
 Net Weight / KG 10.00 | Gross Weight / KG 11.00

## Oryx SH 802R with Ratchet

- High quality, stylish & ergonomic tough helmets providing maximum wearer protection in diverse industries in the most hazardous environments.
- Manufactured under ISO 9002 quality scheme & conforming to EN 397 & ANSI standard.
- Adjustable PE suspension with Ratchet system to give a perfect fit.
- Light weight with six point suspension & sweat band along with provision for 'V' Type Chin strap, Face shield & Earmuff (Optional).



CE EN 397

Packing: 1x40 = 40  
Dimension: L60 X W48 X H73 CM  
Net Weight / KG 11.35 | Gross Weight / KG 12.35

## Oryx SH 803R Ratchet Type with Ventillation, ABS Shell

- V-Type top reinforcement
- 6 Vents & 4 Point suspension
- Chin strap included with Ratchet adjustment
- Harness anti-sweatband
- Confirmed to EN 397:1995 +A1:2000
- Side Slots for accessories
- Shock Absorption ( $\leq 5\text{kn}$ )
- Flame resistance ( $\geq 5\text{ s}$ )
- Perforation resistance ( $\geq -10^{\circ}\text{C} \leq 50^{\circ}\text{C}$ )
- UV Stabilizer



CE EN 397

## Centurion Concept Helmet

- Up to 20% Lighter\*
- Manufactured from high quality, strong ABS material, the Concept is up to 20% lighter than most other helmets
- High performance ABS shell allows for optimal strength to weight ratio
- Ventilation option allows wearers to keep cool
- Dry-Tech Sweatband for maximum comfort, for extended periods of use



CE EN 397

## H9001B Height helmet with Integrated Eyewear

### Helmet Specification:

- ABS material of shell
- 6 point textile suspension
- Black sweatband
- Chin strap with chin cup included
- Ratchet adjustment

### Goggles / Faceshield Specification:

- Mounted ocular covering both eye.
- Optical Class: 3
- Symbol for resistance to high speed particles: F
- EN 166:2001 Approved



## Eyevex SH 804R

### Type Class I, Type E,G,C

- ABS Shell (Acrylonitrile Butadiene Styrene)
- V-Style without ventilation
- 6 Point Webbing Suspension
- New Ratchet Style Adjustment
- Chin strap included
- Harness anti-sweat band
- Complied with ANSI/ISEA Z89.1-2014(R2019)



## Eyevex SH 801VR

### With Ventilation

- Material: HDPE
- Fitted with 6point webbing suspension
- Includes height Adjustment
- Extended nape providing increased neck protection
- Stylish design, light in weight, robust
- CE EN 397: 2012 + A1:2012
- TYPE I-Class C

**CE** Packing: 1x36= 36  
 Dimension: L58 XW44 XH43 CM  
 Net Weight / KG 15.00 | Gross Weight / KG 15.50



## Eyevex SH 801R

### Type I, Class E

- Material: HDPE
- Fitted with 6point webbing suspension
- Includes height Adjustment
- Extended nape providing increased neck protection
- Stylish design, light in weight, robust
- CE EN 397: 2012 + A1:2012
- TYPE I-Class E

**CE** Packing: 1x36= 36  
 Dimension: L58 XW44 XH43 CM  
 Net Weight / KG 15.00 | Gross Weight / KG 15.50



## Centurion Vision Plus Safety Helmet with Moulded Integrated Eye Protection

### Helmet

- ABS Shell
- Cradle: 6 point Terylene webbing
- LDPE Headband
- Dry-tech Sweatband
- Acetal with HDPE straps, Black foam 3mm
- 2mm Molded Polycarbonate Clear Visor.
- CE EN 397 Approved

### Visor

- Optical clarity to Class 1 for continuous use
- Grade A High Energy Impact Protection to EN 166
- Moulded design provides improved lower cheek coverage
- Includes anti-scratch and anti-mist coating for improved durability and visibility



## Eyevex HM 90013 Industrial Safety Helmet ( Full Brim)

- 100% cotton outside
- ABS shell
- EVA Foam pad
- Ventillated side provided for better airflow
- Suitable non-high risk environment
- Free Size
- Conform to CE EN812 standards



Packing: 1x200= 200  
Dimension: L59 X W39 X H29 CM  
Net Weight / KG 21.00 | Gross Weight / KG 22.00





## Centurion Nexus High Heat Resistant to Radiant Temperature

- Glass filled Nylon shell which resistant to radiant temperatures up to 150°C
- Optimised micro peak providing maximum upward visibility
- Comfortable fit with terylene 6-point Cradle and Vabon Sweatband
- Fully adjust wheel ratchet for a custom fit.
- Fully removable EN 397 2 point Optional leather chinstrap

CE EN 397



## Oryx Bump Cap SM-923 Sports Style Working Bump Cap

- 100% cotton outside
- ABS shell
- EVA Foam pad
- Ventillated side provided for better airflow
- Suitable non-high risk environment
- Free Size
- Conform to CE EN812 standards

CE Packing: 1x200= 200  
Dimension: L59 X W39 X H29 CM  
Net Weight / KG 21.00 | Gross Weight / KG 22.00



## Centurion Bump Cap 2000

- Size: 54 - 59cm
- Peak: Standard(60mm)
- Shell: ABS (Acrylonitrile-Butadiene-Styrene)
- Cap CoverL 95% cotton, 5% Elastene (Lycra)
- Pad: Central pad - Brushed Nylon Fabric covered EVA foam pad.



Our quality product ear plugs and ear muffs are ergonomically designed which gives comfortable feeling to the user.



## EYE AND FACE PROTECTION



### Eyevex SSP 208

#### Lightweight Spectacles, 21g

- 99.9% UV Protection
- Optically correct
- High velocity impact & High mass resistant
- 21g weight
- Soft rubber insert for cushion fit
- Flexible temples for all day comfort
- Soft nosepiece
- 9.75 base; wrap-around lens
- Meet ANSI Z87.1 & CE EN 166 Standards



Packing: 1x12x25=300  
 Dimension: L85 X W30 X H50 CM  
 Net Weight / KG 7.50 | Gross Weight / KG 12.20

**Frame / Lens Color:**

Clear/Clear, Smoke/Smoke



### Eyevex SSP 511

#### Adjustable Temple

- Wrap around with angle side protection
- Universal nose bridge
- Hard coated lens as standard
- Maximum protection
- EN 166 Coverage
- Meets ANSI Z87.1



Packing: 1x12x25=300  
 Dimension: L85 X W30 X H50 CM  
 Net Weight / KG 14.00 | Gross Weight / KG 16.00

**Frame / Lens Color:**

Black/Clear, Black/Smoke, Blue/Smoke, Blue/Clear



### Eyevex SSP 541

#### 3 Way Adjustable Temple

- Sport-style 3D curved single lens
- Wrap around with angle side protection
- Universal nose bridge
- Hard coated lens as standard
- EN 166 Coverage
- Meets ANSI Z87.1



Packing: 1x12x25=300  
 Dimension: L85 X W30 X H50 CM  
 Net Weight / KG 14.00 | Gross Weight / KG 16.00

**Frame / Lens Color:**

Grey/Smoke, Grey/Clear



### EyeveX SSP 542

180° Eye protection

- Adjustable temple
- Wrap around with angle side protection
- Universal nose bridge
- Hard coated lens as standard
- Anti-Slip nose pad
- EN 166 Coverage
- Meet ANSI Z87.1



Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 7.50 | Gross Weight / KG 12.20

**Frame / Lens Color:**

Clear/Clear, Smoke/Smoke



### EyeveX SSP 543

8 Base, Wrap-around Lens

- 99.99% UV protection
- Optically correct
- High velocity impact & High mass resistant
- Soft temple tips for comfortable fit
- Soft brow-guard
- Soft nosepiece
- Length & Angle adjustable temples
- 8 Base, Wrap around lens
- Meet ANSI Z87.1 & CE EN 166 standards



Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 10.00 | Gross Weight / KG 12.00

**Frame / Lens Color:**

Black/Clear, Black/Dark, Black/Indoor-Outdoor



### EyeveX 544

Anti-Slip Gripping Tips

- Wrap around with angle side protection
- Universal nose bridge
- Hard coated lens as standard
- Maximum protection
- EN 166 Coverage
- Meets ANSI Z87.1



Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 10.00 | Gross Weight / KG 12.00

**Frame / Lens Color:**

Black/Yellow, Black/Clear, Grey/Dark, Grey/Gradient Mirror, Black/Blue





### Eyevex SSP 545 Framless Glass

- Impact & Scratch resistant
- UV 400 protection
- Anti-Slip nose bridge
- Full protection
- EN 166 Coverage
- Meets ANSI Z87.1



Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 11.00 | Gross Weight / KG 11.80

**Frame / Lens Color:**

Clear/Clear, Grey/Grey



### Eyevex SSP 546 Frameless Glass

- Impact & Scratch resistant
- UV 400 protection
- Anti-Slip nose bridge
- Full protection
- EN 166 Coverage
- Meets ANSI Z87.1



**Frame / Lens Color:**

Clear/Clear, Grey/Grey



### Eyevex 550 7 Base White Vision Lens

- 99.99% UV Protection
- Optically Correct
- High velocity impact & High mass resistant
- Length adjustable temples
- Spectacle neck cord is available
- Mold insert for embossed logo
- ANSI Z87.1 & CE EN 166 Standards



Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 8.40 | Gross Weight / KG 13.00

**Frame / Lens Color:**

Blue/Dark, Blue/Clear, Blue/Yellow



## EyeveX SSP 551 Over Spectacles

- Economic Visitor Spectacles
- Hard Coated lens as Standard
- Full protection
- Compliance with glasses
- EN 166 Coverage
- Meet ANSI Z87.1



Packing: 1x12x25=300  
Dimension: L94 X W35 X H50 CM  
Net Weight / KG 17.00 | Gross Weight / KG 19.00

Frame / Lens Color:

Clear, Black, Amber



## EyeveX SSP 552 Over Spectacles

- Polycarbonate 2.5 base curve Lens
- Univisal nose bridge
- Temples extend from browbar to avoid interference with prescription frame temples
- EN 166 Coverage
- Meet ANSI Z87.1



Packing: 1x12x25=300  
Dimension: L94 X W35 X H50 CM  
Net Weight / KG 17.00 | Gross Weight / KG 19.00

Frame / Lens Color:

Clear, Black, Amber

## Executive Spectacles



## EyeveX AL 138 180° Protection

- Day and Night executive style
- Adjustable temple
- Wrap around with angle side protection
- Universal nose bridge
- Hard coated lens as standard
- Anti-fog lens
- EN 166 Coverage
- Meets ANSI Z87.1



Packing: 1x12x25=300  
Dimension: L81 X W28 X H50 CM  
Net Weight / KG 14.00 | Gross Weight / KG 15.00





**Executive Spectacles**

**Eyevex SSP 1004**  
180° Protection

- Day and night executive style
- Stylish & Light weight design
- Hard coated lens as standard
- Anti-Fog lens
- Individual packing
- Anti-Slip gripping nose pad
- EN 166 Coverage
- Meets ANSI Z87.1



Packing: 1x10x10=100  
Dimension: L88 X W30 X H35 CM  
Net Weight / KG 7.10 | Gross Weight / KG 8.60

**Frame / Lens Color:**

Black/Clear, Black/Grey, Black/Indoor-Outdoor



**Executive Spectacles**

**Eyevex SSP 1005**  
Framless Glass

- Wrap around with angle side protection
- Universal nose bridge
- Hard coated lens as standard
- Maximum protection
- Individual packing
- Dual lens
- Can use the prescription lens
- EN 166 Coverage
- Meets ANSI Z87.1



Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 11.00 | Gross Weight / KG 11.80

**Frame / Lens Color:**

Clear/Clear, Grey/Grey

**Eyevex SSP 1005S**  
 Spare Lens-RX Inserter





### Executive Spectacles

## Eyevex SSP 1010

8 Curved Base Lens, Anti-scratch

- 99.99% UV Protection
- Optically correct
- High velocity impact & high mass resistant
- Soft temple tips for comfortable fit
- Soft nosepiece
- 8 base, wrap-around lens
- Soft bow-guard
- Meets ANSI Z87.1 & CE EN 166 Standards



Packing: 1x12x25=300  
Dimension: L82 X W32 X H63 CM  
Net Weight / KG 15.00 | Gross Weight / KG 16.00

### Executive Spectacles

## Eyevex SSP 1011



- 99.99% UV Protection
- Optically correct
- High velocity impact & high mass resistant
- Soft temple tips for comfortable fit
- Soft nosepiece
- 8 base, wrap-around lens
- Soft bow-guard
- Meets ANSI Z87.1 & CE EN 166 Standards



Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 11.00 | Gross Weight / KG 11.80

Frame / Lens Color:

Blue/Black, Red/Black





### Executive Spectacles

## Eyevex SSP 1080 Soft ear Piece Spectacle

- 99.99% UV Protection
- Optically correct
- High velocity impact & high mass resistant
- Anti-fog lens
- Soft earpiece for comfortable fit
- 7.5 base curve lens
- Ratchet angle adjustable temples
- Meets ANSI Z87.1 & CE EN 166 Standards



Packing: 1x10x10 =100  
 Dimension: L87 X W28 X H33 CM  
 Net Weight / KG 7.50 | Gross Weight / KG 8.00

**Frame / Lens Color:**

Silver/Clear, Silver/Grey,  
 Silver-Blue/Indoor-Outdoor,  
 Blue/Dark, Blue/Clear, Red/Clear, Red/Dark



### Eyevex SWG 205-56



### Eyevex SWG 209-56

### Welding Goggles

- Lift front style
- Indirect vents
- Green PVC Frame cup type
- Black ABS Cup frame
- PC Green lens shade No.5 & PC clear
- High impact resistant
- CE EN 175 Coverage
- Meets ANSI Z87.1



Packing: 1x10x6 =60  
 Dimension: L56 X W41 X H35 CM  
 Net Weight / KG 11.50 | Gross Weight / KG 13.50

**Frame / Lens Color:**

Green/Black




## Welding Protection Accessories

### EyeveX SPL 20C

- Welding glass PC
- PC Lens Clear-Size 2" x 4 1/4"
- CE EN 175 Coverage

Packing: 1x100 = 100  
Dimension: L 70 x W30 x H516 CM  
Net Weight / KG 10.50 | Gross Weight /KG 12.00



## Welding Protection Accessories

### G9,G10,G11,G12, SLG 20

- Welding glass Dark
- Green Lens - Size 2"x4 1/4"
- Lens shade Number-DIN 9,10,11,12
- CE EN 175 Coverage

Packing: 1x100 = 100  
Dimension: L 70 x W30 x H516 CM  
Net Weight / KG 10.50 | Gross Weight /KG 12.00





### Safety Goggle

## Eyevex SG 234

- Economy Safety Goggle
- SOft PVC Frame
- PC Lens
- Indirect vents on top and bottom
- Anti-Chemical liquid dusts & Impact
- Also available with Anti-Fog
- Quality elastic support
- EN 166 coverage
- Meets ANSI Z87.1



Packing: 1x12x10=120  
Dimension: L25 X W19 X H18 CM  
Net Weight / KG 9.50 | Gross Weight / KG 11.50

Frame / Lens Color:

Clear/Clear, Green/Clear

### Safety Goggle

## Eyevex SSP 5905 Chemical Safety Goggles



- PVC Frame / Chemical goggle
- Anti-Fog
- High impact resistant
- Quality elastic strap with Adj. guide
- Special 6 curve PC Lens
- EN 166 coverage
- Meets ANSI Z87.1



Packing: 1x10x10 =100  
Dimension: L48 X W38 X H45 CM  
Net Weight / KG 14.00 | Gross Weight / KG 14.90

Frame / Lens Color:

Blue/Blue



Foam Padded Dust Proof Goggles

**EyeveX SSP 5020**

- Dual Usage
- 99.99% protection
- Optically correct
- High velocity impact & High mass resistant
- Quick release buckle
- Foam padded frame for cushion fit and dust proof
- Interchangeable Headband & temples
- 9.75 Base wraparound lens
- Anti-fog
- Can use with leg or band
- CE EN 175 Coverage
- Meets ANSI Z87.1



Packing: 1x10x10=100  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 11.00 | Gross Weight / KG 11.80

**Frame / Lens Color:**

Black/Grey, Black/Clear



Stylish Dust Proof Goggles

**EyeveX SSP 5021**

- 99.99% UV protection
- Optically correct
- High velocity impact & high mass resistant
- Quick release buckle
- Metal free hinge design
- Interchangeable Headband & temples
- Angle/ Length adjustable temples
- 9.75 Base, wrap around lens
- Anti-Fog
- Slip-proof soft temple tip
- Meet ANSI Z97.1 & CE EN 166 standards



Packing: 1x10x10 = 100  
Dimension: L56 X W41 X H35 CM  
Net Weight / KG 11.50 | Gross Weight / KG 13.50





Spectacle Cord

Eyevex SSP02/Small



Eyevex SSP01/Large



Spectacle Pouch

Eyevex SSP 1009P



Clip



Belt Top



Velcro



**EyeveX FC 45/48**



**EyeveX FG 48**

Face Mask

**Blue Eagle**

- High Quality PC Vector
- PC Visor, Heat & Impact resistant
- Aluminium bond
- SCF 45 Size: 8" x 15.5" x 0.8mm Clear PC
- SFC 48 Size: 8" x 15.5" x 1 mm Clear PC
- SFG 48 Size: 8" x 15.5" x 1 mm Dark PC
- CE EN 166 Coverage



Packing: 1x35x4=140  
Dimension: L49xW39xH50 CM  
Net Weight / KG : 18.00 | Gross Weight/KG : 20.00



Cylindrical Visor

**EyeveX EFC 48**

- Face shield with Clear Poly Carbonate Visor,
- Visor Cylindrical Lens
- Anti-scratch and anti-fog
- Size: 15.5" x 9.5" x 2.0 MM
- Standard Compliance: EN166:2001



Packing: 1x50  
Dimension: LxWxH CM  
Net Weight / KG : | Gross Weight/KG :





### Chin Strap

## EyeveX SCS 11

- Elastic type chin strap
- Cup suitable for chin
- Easy assembled to helmet
- CE EN 352-1 coverage

Packing: 1x100x10PKT  
 Dimension: L 59 x W45 x H52 CM  
 Net Weight / KG 16.00 | Gross Weight /KG 17.20



### Visor Bracket

## EyeveX A2 Bracket

- POM visor bracket assemble with safety helmet and visor
- ANSI Z87.1
- CE EN 166 Coverage



Packing: 1x25x4 = 100  
 Dimension: L49xW38xH60 CM  
 Net Weight / KG : 12.00 | Gross Weight/KG : 14.00

Visor Holding Head Gear

**EyeveX SB1-YE**



- Visor Holder Yellow
- High quality visor holder with excellent design & Heavy duty
- Impact resistant ABBS Broguard
- With Ratchet type Head gear
- CE EN 166 Coverage



Packing: 1x60=60  
Dimension: L 59 x W45 x H52 CM  
Net Weight / KG 10.00 | Gross Weight /KG 12.00



Face Protection Splash Guard

- Clear visor for occupational use
- Materials: PC lens of clear visor, white foam, white headband
- Dimensions A & B: 332&222mm
- Face Shield to prevent fluid
- Splashing splash guard
- Can easily fit on head with the head band
- Compliant with CE EN 166:2001





Eyevex offers High quality earplugs and ear muffs are ergonomically designed which gives comfortable feeling to the user.

## Eyevex EEP 033C (Corded) Corded Ear Plug



- Corded Ear Plug
- Disposable Ear Plug
- Soft, smooth with round tip
- Perfect protection
- NRR 31 dB
- Packing 100 pairs per box
- EN 352-2-2002 and ANSI S3. 19-1974

CE  Packing: 1x100x10 box  
Dimension: L54 X W43 X H23 CM  
Net Weight / KG 4.50 | Gross Weight / KG 5.50

## Eyevex EEP 033U (Uncorded) Uncorded Ear Plug



- Corded Ear Plug
- Disposable Ear Plug
- Soft, smooth with round tip
- Perfect protection
- NRR 31 dB
- Packing 200 pairs per box
- EN 352-2-2002 and ANSI S3. 19-1974

CE  Packing: 1x200x10 box  
Dimension: L54 X W43 X H23 CM  
Net Weight / KG 4.80 | Gross Weight / KG 5.80

## Eyevex SEP 033S (Silicon) Silicon Ear Plug



- Silicon Ear Plug
- Reusable Ear Plug
- Soft, smooth with round tip
- Perfect Protection
- NRR 31 dB
- Packing 80 pairs per box
- EN 352-2-2002 and ANSI S3. 19-1974

CE  Packing: 1x80pairx20box=1600pair  
Dimension: L65 X W42 X H41 CM  
Net Weight / KG 22.00 | Gross Weight / KG 23.00



## Eyevex EP 107 Ear Muff

- Folding type with head band
- Light weight and palm size
- Excellent noise reduction
- Comfortable ear cushions
- NRR 24.88 dB, SNR 30 dB
- Standard cup color red
- ANSI S3.19
- CE EN 352-1 Coverage



Packing: 1x30=30  
Dimension: L48 X W40 X H60 CM  
Net Weight / KG 15.50 | Gross Weight / KG 16.00



## Eyevex EP 167 Ear Muff

- Easy to attach on helmet
- Light weight and palm size
- Excellent noise reduction
- Comfortable ear cushions
- NRR 22 dB, SNR 23 dB
- Standard cup color red
- ANSI S3.19
- CE EN 352-3 Coverage



Packing: 1x30x6 = 60  
Dimension: L50 X W42 X H62 CM  
Net Weight / KG 16.50 | Gross Weight / KG 18.50



## Eyevex EEP 108 Ear Muff

- Soft and Comfortable
- Fitting to ear canal closely
- Excellent effect of noise proof.
- Can be cleaned and usable
- CE EN 352-3 Coverage
- SNR: 32dB



Packing: 1x80pairsx20boxes=1600pair  
Dimension: L65 X W42 X H41 CM  
Net Weight / KG 22.00 | Gross Weight / KG 23.00



Eyevex Respirators protects employees from dusts, odor, solid & liquid particles that is harmful to human respiratory system.





## Eyevex EDM 901 Disposable Mask

- Disposable, cool and comfortable
- Lightweight construction, economical choice
- Soft flexible nose piece providing individual facial adjustment

**CE** Packing: 1x50nosx20box  
Dimension: L59 X W25 X H28 CM  
Net Weight / KG 3.00 | Gross Weight / KG 4.00



## Eyevex ER 1300SL FFP1 Disposable Respirator

- Disposable Dusk Mask, for protection against dust particles
- Cup design collapse resistant double shell construction made to withstand hot and humid conditions.
- High filtering efficiency
- Exhalation valve to and Weld fringe seal to avoid open layer around the edges
- The mask ensures the compatibility of glasses/goggles and reduces fogging
- Soft foam at the nose to improve comfort.
- White & also available in Yellow/Grey
- Elastic headband
- EN 149:2009 CE FFP1

**CE** Packing: 1x25nosx32box  
Dimension: L58 X W53 X H47 CM  
Net Weight / KG 7.74 | Gross Weight / KG 12.00



## Eyevex ER 1600S FFP1 Disposable Respirator

- Flat fold design
- Material used offers high filtering efficiency
- Flat weld fringe seal to avoid open layer around the edges
- Stitched elastic head strap with adjustable bleed
- The mask ensures the compatibility of glasses/goggles and reduces fogging
- Concealed adjustable nose clip to ensure custom shape and increase the worker comfort and acceptance
- EN 149:2009 CE FFP1
- Packing: 1x50pcs x 20, 1000 pcs/master ctn.

**CE** Packing: 1x80pairx20box=1600pair  
Dimension: L65 X W42 X H41 CM  
Net Weight / KG 22.00 | Gross Weight / KG 23.00



## EyeveX ER 1600SLV FFP1 Disposable Respirator with valve

- Disposable Respirator with Valve
- Durable
- Foldable type
- Adjustable double elastic bands for individual leak proof fit
- Protect against solid and liquid particles
- Exhalation valve gives high breathing
- High comfort
- EN 149:2009 CE FFP1

**CE** Packing: 1x15nosx32box  
Dimension: L58 X W53 X H47 CM  
Net Weight / KG 7.74 | Gross Weight / KG 12.00



## EyeveX ER 2600SLV Disposable Respirator FFP2

- Disposable Respirator with Valve
- Contour nose bridge design
- Durable
- Foldable type
- Adjustable double elastic bands for individual leak proof fit
- Protect against solid and liquid particles
- Exhalation valve gives high breathing
- High comfort
- EN 149:2001+A1:2009 CE FFP1

**CE** Packing: 1x15x32 box  
Dimension: L58 X W53 X H47 CM  
Net Weight / KG 7.74 | Gross Weight / KG 12.00



## EyeveX ER3600 SLV FFP3 Disposable Respirator w/ Valve

- Disposable Respirator with Valve
- Durable
- Foldable type
- Adjustable double elastic bands for individual leak proof fit
- Protect against solid and liquid particles
- Exhalation valve gives high breathing comfort
- EN 149:2009 CE FFP2

**CE** Packing: 1 x 15nos x 32 box  
Dimension: L58 X W53 X H47CM  
Net Weight / KG 7.74 | Gross Weight / KG 12.00



## EyeveX KN 95 Flat Folded Particulate Respirators

- Professional protective mask
- Customized facial design.
- Good tightness and breathability.
- PP non-stick non-woven fabric.
- High efficiency electrostatic melt-blown.
- Complied with GB 2626:2006 KN95



## EyeveX ER2600N95 FFP2 Flat Fold Type

- Medical Grade- PP Spun-bond Non-Woven and Electrostatic Melt blown
- C Shape Mask FFP2
- 2 Core Nose wire
- Orange elastic bands
- High filtration capacity
- EN 149:2001 + A1:2009
- CE EN 14683:2019 TYPE IIR, ASTM F2100-20
- Conforms to 42 CFR part 84, N95 Class



## EyeveX ER2600N95 FFP2 SL NR Headloop, Flat Fold Type

- FFP2 Class respirator with IS 9472:2002 Approval
- Adjustable Elastic welded outside filter media for leakproof fit
- Specially positioned Adjustable Embedded Nose clip maintains its features even after repeated usage
- Ultra Universal fits suits wide range of face contours
- Flat fold D Type style provides Easy and compact to store while not in use
- The Balance between the flexibility and pressure of the Adjustable headbands makes for increased comfort.
- Lightweight construction promotes greater worker acceptance and may help increase wear time



Packing: 1x50nosx40box  
 Dimension: L77 X W50 X H47.5 CM  
 Net Weight / KG 7.74 | Gross Weight / KG 12.00



Fire Retardant outer layer included

### EyeveX ER 2300 SLOV FFP2 NR D Active Carbon Dust/mist Mask with Valve

- Complies with EN149:2001+A1:2009 FFP2 NR standards
- Low breathing resistance for more comfortable feel to wearer.
- Heavy-duty head straps, the adjustable nose clip and soft foam nose piece for a comfortable custom fit.
- Covered with active carbon pre-filter against nuisance organic vapours
- Exhalation valve reduces hot air buildup and easy breath in hot /humid environments
- Complies with Dolomite (D) clogging test for better breathing resistance

**CE** Packing: 1x15nos x 32 box  
Dimension: L58 X W53 X H47 CM  
Net Weight / KG 7.74 | Gross Weight / KG 12.00



### EyeveX ER 2301 SLV FFP2 NR D Anti wrinkle, easy breath mesh mask

- Disposable Respirator with Valve
- Contour nose bridge design
- Durable
- Foldable type
- Adjustable double elastic bands for individual leak proof it
- Protect against solid and liquid particles
- Exhalation valve gives high breathing
- High comfort
- EN 149:2001+A1:2009 CE FFP1

**CE** Packing: 1x15x32 box  
Dimension: L58 X W53 X H47 CM  
Net Weight / KG 7.74 | Gross Weight / KG 12.00



### EyeveX ER 3300 SLOV FFP3 NR D Disposable Respirator w/ Valve

- Disposable Respirator with Valve
- Durable
- Foldable type
- Adjustable double elastic bands for individual leak proof fit
- Protect against solid and liquid particles
- Exhalation valve gives high breathing comfort
- EN 149:2009 CE FFP2

**CE** Packing: 1 x 15nos x 32 box  
Dimension: L58 X W53 X H47CM  
Net Weight / KG 7.74 | Gross Weight / KG 12.00



## EyeveX ER3301 SLV FFP NR D Dust/Mist Mask with Valve

- Complies with EN 149:2001 + A1:2009 FFP3 NR D standards with CE marking
- Contoured facial seal for extreme comfort at long time of wearing.
- Fully adjustable head straps and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air buildup and easy breath in hot/humid environments.
- Complies with Dolmite (D) clogging test for better breathing resistance


 Packing: 1x5nosx20box  
 Dimension: L66 x W26 x H46 CM  
 Net Weight / KG 3.50 | Gross Weight / KG 5.50



## EyeveX ER3600 SLV FFP3 NR Disposable Respirator with valve

- Durable, Foldable type-D shape
- Adjustable double elastic bands for individual leak proof fit
- Protect against solid and liquid particles
- Exhalation valve gives high breathing comfort
- EN149:2001+A1:2009 FFP2 CE
- Packing: 1x20 x40box, 800pcs in one carton
- Made in India


 Packing: 1x5nosx20box  
 Dimension: L68 X W42 X H32 CM  
 Net Weight / KG 5.50 | Gross Weight / KG 6.00



Particulate Respirator N95 NIOSH Approved

**EyeveX ER 1395 N95**  
Respirator Class N95

- Confirms to 42 CFR part 84, N95 Class
- NIOSH approved
- 95% Filtering capacity
- Low Breathing resistance for increased comfort
- Heavy duty head strap, Adjustable Nose Clip & the soft foam nosepiece for comfortable custom fit.



Packing: 1x20 nos x 20 box  
Dimension: L66 X W27 X H45 CM  
Net Weight / KG 5.00 | Gross Weight / KG 7.00



Particulate Respirator N95 NIOSH Approved

**EyeveX ER 1396 N95**  
Respirator Class N95

- Confirms to CFR part 84, N95 Class
- NIOSH approved
- 95% Filtering capacity
- Low breathing resistance for increased wearer comfort
- Heavy duty head strap, Adjustable Nose clip & the soft foam nosepiece for comfortable custom fit



Packing: 1x20 nos x 20 box  
Dimension: L66 X W27 X H45 CM  
Net Weight / KG 5.00 | Gross Weight / KG 7.00





Particulate Respirator with Valve NIOSH Approved

## EyeveX ER 1395V N95 Respirator Class N95

- Confirms to 42 CFR part 84, N95 Class
- NIOSH Approved  
95% Filtering Capacity
- Low Breathing resistance for increased comfort.
- Heavy duty head strap, Adjustable nose clip & the soft foam nosepiece for comfortable custom fit
- Exhalation valve reduces hot air buildup & easy in hot/humid environments



Packing: 1x12nosx20box  
Dimension: L66 x W27 x H45 CM  
Net Weight / KG 5.00 | Gross Weight / KG 7.00

Particulate Respirator with Valve NIOSH Approved

## EyeveX ER 1396V N95 Respirator Class N95

- Confirms to 42 CFR part 84, N95 Class
- NIOSH Approved  
95% Filtering Capacity
- Low Breathing resistance for increased comfort.
- Heavy duty head strap
- Molded nose bridge that comfortably fits a variety of face shapes and sizes
- Exhalation valve reduces hot air buildup & easy in hot/humid environments



Packing: 1x12nosx20box  
Dimension: L66 x W27 x H45 CM  
Net Weight / KG 5.00 | Gross Weight / KG 7.00



## Half Mask Respirator

### EHFR 5000

High Quality anti-ageing silicone mask body  
Anti-allergic, Easy to clean & comfortable wear.  
The large face seal guarantees a perfect fit  
Good fit over facial curve & can be adjusted to different contours.  
Broadened visual field gives good view for safe operations.  
The design of couple filter has better filtering effects and reduces the respiratory, Outward turning thread connections are more convenient and efficient and to connect and replace the filters.  
The water jet cut harness ensures perfect user adaptability and comfort  
Confirms to CE EN 140:1998, EN 14387:2004

#### Specifications

Leakage Coefficient: 2% at 301/min;  
Inhalation Resistance (Pa): 50 Pa at 301/min;  
Exhalation Resistance (Pa): Pa at 1601min;  
The carbon dioxide content of the inhalation 1.0% (BY Volume)



Packing: 1x60 / ctn  
Dimension: L43 X W47 X H52 CM  
Net Weight / KG 17.00 | Gross Weight / KG 7.00



## Double Filter Chemical Cartridge for Half Mask

### EHFR 5001 ABEK1

#### Applications

- Processing with the presence of acids, sulphur dioxide, hydrochloric acid, ammonia and derivatives
- Confirms to CE EN 14387



Packing: 25pair/box x 40 box/ctn  
Dimension: L43 X W50 X H36 CM  
Net Weight / KG 19.50 |  
Gross Weight / KG 21.00

#### PROTECTION CLASSES WITH RESPECT TO EFFICIENCY

##### EN 143

P1 R/NR	Solid & wet particles 1	80 %
P2 R/NR	Solid & wet particles 1	94 %
P3 R/NR	Solid & wet particles 1	99.95 %

Filter type	Protect Against	Colour Code
A	Organic gases/vapours with a boiling point above 65°C, e.g. solvent naphtha, toluene, styrene & xylene	Orange
B	Inorganic gases/vapours such as chlorine, Hydrogen cyanide and hydrogen sulphide	Grey
E	Acidic gases/vapours such as sulphur dioxide and formic acid	Yellow
K	Ammonia and certain amines	Green
ABEK	Should be applicable for all above gases	Orange, Grey, Yellow, Green

## Double Filter Chemical Cartridge for Half Mask

### 5002

- Pre filter must be use together with combination filters at all times.
- The pre filter protects the main filter against premature clogging by larger particles

Packing: 1pcs/25 x 20 = 500pcs/CTN  
Dimension: L56 X W46 X H47 CM  
Net Weight / KG 1.50 | Gross Weight / KG 2.00

### 5003

- The prefilter holder fixes the filter in place and protects it against handling damage.

Packing: 1x 10pcs x 50 = 500 pcs/CTN  
Dimension: L56 X W46 X H47 CM  
Net Weight / KG 3.50 | Gross Weight / KG 4.00



Single Filter Full Face Mask

### EFFR 1000

- Mask body made of high quality anti-ageing silicone which is anti-allergic & easy to use
- Mask edge fits different face contours & provides good air tightness
- PC Window coated with anti-fog from inside and anti-friction
- Threaded interface makes it very easy to replace the cartridge
- Ultra lightweight

**Specifications:**


Leakage Coefficient: 70.05% at 30 l/min.  
 Inhalation Resistance (Pa): ≤ 50 Pa at 30 l/min;  
 Exhalation Resistance (Pa): ≤ 100 Pa at 30 l/min;  
 The effective field of vision ≥ 70%  
 The overlapped field of vision ≥ 80%



**CE** EN 136:1998  
 AS/NZS 1716:2012  
 Packing: 30PCS/CTN  
 Dimension: L60 x W50 x H73 CM  
 Net Weight / KG 23.00 | Gross Weight / KG



Protection against organic, inorganic and acid gases & vapours, and ammonia & derivatives class 2, dusts



Single Filter Chemical Cartridge for Full Face Mask

### EFFR 1001 ABEK2P3 CE 0121

**Filters**

Particle Filters: for half and full face mask are divided into three classes depending on how effectively they can separate dust. Colour code - white.

EN 14387

Packing: 80PCS/CTN  
 Dimension: L48 x W55 x H40 CM  
 Net Weight / KG 22.00 | Gross Weight / KG 24.00

**PROTECTION CLASSES WITH RESPECT TO EFFICIENCY**

EN 143

P1 R/NR	Solid & wet particles 1	80 %
P2 R/NR	Solid & wet particles 1	94 %
P3 R/NR	Solid & wet particles 1	99.95 %

Filter type	Protect Against	Colour Code
A	Organic gases/vapours with a boiling point above 65°C, e.g. solvent naphtha, toluene, styrene & xylene	
B	Inorganic gases/vapours such as chlorine, Hydrogen cyanide and hydrogen sulphide	
E	Acidic gases/vapours such as sulphur dioxide and formic acid	
K	Ammonia and certain amines	
ABEK	Should be applicable for all above gases	

Double Filter Full Face Mask

**EFFR 1000A**  
**Cartridge Suitable for EHFR 5001**

- Material: Liquid Silicone
- Weight: Less than 650g
- Leakage Coefficient: <0.05% at flow 30 l/min
- Inhalation Resistance: <50 Pa at 30 l/min; <150 Pa at 95 l/min
- Exhalation Resistance: <300 Pa at 160 l/min.

**Main Features:**

- Wide PC visor helps broad field of vision
- Anti-Scratch and Anti-fog
- Certification: EN 136:1998
- Cartridge suitable for EHFR 5001



Double Filter Chemical Cartridge for Half Mask

**EHFR 5001**  
**ABEK1**

**Applications**

- Processing with the presence of acids, sulphur dioxide, hydrochloric acid, ammonia and derivatives
- Confirms to CE EN 14387




Packing: 25pair/box x 40 box/ctn  
Dimension: 143 X W50 X H36 CM  
Net Weight / KG 19.50 |  
Gross Weight / KG 21.00

**PROTECTION CLASSES WITH RESPECT TO EFFICIENCY**

EN 143

P1 R/NR	Solid & wet particles 1	80 %
P2 R/NR	Solid & wet particles 1	94 %
P3 R/NR	Solid & wet particles 1	99.95 %

Filter type	Protect Against	Colour Code
A	Organic gases/vapours with a boiling point above 65°C, e.g. solvent naphtha, toluene, styrene & xylene	Orange
B	Inorganic gases/vapours such as chlorine, Hydrogen cyanide and hydrogen sulphide	Grey
E	Acidic gases/vapours such as sulphur dioxide and formic acid	Yellow
K	Ammonia and certain amines	Green
ABEK	Should be applicable for all above gases	Orange, Grey, Yellow, Green





Non-Woven Bouffant Cap

**EyeveX Bouffant Cap**  
18" - 21"

- Unisex use
- Made of Medical grade polymer
- Soft feel elastic
- Size: 18"
- Color: Blue, White, Green

Application:  
Hospital, Food Industry, Clean Room Application

Packing: 1x50nosx100 = 5000pcs/ctn



**EyeveX Surgical Cap**

- Made of spun bond PP Fabric
- Made of medical grade polymer fabric
- Avoids escape of hair & Dandruff
- Checks shedding of micro-organisms during operation
- Size: 30cm x 14cm
- Color: Blue; White

Application:  
Hospital, Food Industry, Clean Room Application

Packing: 1x50nosx100 = 5000pcs/ctn



## EyeveX Disposable Shoe Cover Non-Woven

- Made of Medical grade fabric
- Elastic band gives secure yet comfort fit
- Universal size anti-skid
- Size: 7" - 16"
- Color: Blue, White

Application:  
Hospital, Food Industry, Clean Room Application

Packing: 25pcs/pack x 100 = 2500pcs/ctn



## EyeveX Disposable Shoe Cover Polymer (PE)

- Made of Medical grade Polymer(PE)
- Elastic band gives secure yet comfort fit
- Universal size anti-skid
- Size: 7" - 16"
- Color: Blue, White

Application:  
Hospital, Food Industry, Clean Room Application

Packing: 25pcs/pack x 100 = 2500pcs/ctn



## EyeveX EDM 902 Medical Face Mask (Elastic)

- 3 ply surgical disposable face mask
- Without glass fibers
- Hypo allergenic
- Very low resistance to breathing
- Nose bar adaptable
- High filtration capacity
- Perfect Fitting
- CE EN 14686, ISO9001-BFE99



Packing: 1x50nosx40box = 2500pcs/ctn



## EyeveX Tie-On Face Mask

- Tie-on face mask (2ply, 3ply)
- Made of spun bond PP Fabric
- Made of medical grade polymer fabric
- Soft comfortable and breathable
- With strap tie-on
- Mask Size: 171 x 95 mm
- Color: Green, Blue, White
- 2 ply: 50 pcs/pack x 100, 5000 pcs/ctn
- 3 ply: 50pcs /pack x 100, 5000 pcs/ctn
- CE EN 14686, ISO9001-BFE99

Application:  
Hospital, Food Industry, Clean Room Application





### EyeveX SNG 034 Disposable Nitrile Gloves

- 100% Nitrile (acrylonitrile-butadiene)
- Advance Latex-free formulation, no allergic reaction.
- Ambidextrous.
- Non-sterile.
- Non-Toxic, harmless and odorless.
- Powder free.
- Multipurpose.
- Color: Purple Blue
- Size: S-M-L-XL

Application:  
Hospital, Food Industry, Clean Room Application

Packing: 100pcs/box, 10box/CTN



### EyeveX Latex Examination Glove

- Pure natural latex rubber
- Medical grade
- Texture or smooth surface
- Colour: White
- Size: S to XL
- Weight: 4.0g to 6.2g

Application:  
Hospital, Food Industry, Clean Room Application

Packing: 100pcs/box, 10box/CTN



## Sterile Latex Surgical Gloves Powdered

- For Medical use
- Quality as per ASTM D3577/EN-455
- Powdered by absorbable dusting powder U.S.P
- Micro rough finish
- Curved Fingers anatomic shape

Packing: 100pcs/box, 10box/CTN



## Underpads

- Sift upper layer helps in avoiding bed sore
- Absorbency evenly spread across the pad.
- Embossed back sheets to avoid skidding of pads
- Colour: Blue/White

Application:  
Hospital



Eyevex's ranges of Safety hand gloves includes Impact resistant hand gloves, Anti-cutting protection hand gloves, Anti-vibration hand gloves, Heat resistant hand gloves, Electrical hand gloves, String knit gloves, Leather welding hand gloves, Industrial rubber hand gloves, Nylon hand gloves, Latex industrial hand gloves.




A

## EyeveX SWG 105 Leather Working Gloves

- Grey cow split leather gloves
- 3 Inches rubberized safety cuff
- Fleece lined palm
- Colour Grey with Yellow/Blue/Grey patch on the palm
- Red/Green/Stripe cotton back
- Palm liner
- Size 10/10 inch
- EN420, EN 388 2003 CE



B



Packing: 1x10 dozen  
Dimension: L82 x W27 x H25 CM  
Net Weight / KG 14.00 | Gross Weight/ KG 15.00



C



D



## Driver Gloves EDG 9, EDG 10

- Made of soft white cow grain leather
- Black piping
- Size: 9, 10
- Conforms to CE EN 388:2003

Packing: 1x12x25=300  
Dimension: L45 x W20 x H66 CM  
Net Weight / KG 22.00 | Gross Weight/ KG 23.00

## TWG 14 Tig welding gloves

- 100% cowhide leather construction
- Leather gauntlet style cuff
- Provides superior workmanship, dexterity and light heat protection
- Sewn with kevlar thread to prolong glove life and protect seams from burning
- Ideal for Mig, Tig welding and automotive assembly
- Leather thickness: 1.1mm - 1.2 mm
- Available Sizes: M to XL



Packing: 1x12x10=120  
Dimension: L63 x W30 x H42 CM  
Net Weight / KG 16.00 | Gross Weight/ KG 17.90



**SWG 16GN**

**SWG 16 GN / SWG 16R**  
**Leather Welding Gloves**

- 16" full-length gloves in red/green
- Wing thump continues one piece back
- welt reinforced finger seams
- Split grain cowhide in red with black welted
- Jersey liner Material
- Finishing with piping
- EN420, EN 388 & 407 CE

**Application**

Foundry, Welding, Metal Fabrication,  
All general purpose requiring heat and  
spark protection, Light Engineering work



Packing: 1x 12 x5 dozen  
Dimension: L39 x W25 x H70CM  
Net Weight / KG 21.25 | Gross Weight/ KG 22.00



**SWG 16R**



**EyeveX SWG 16GR**  
**Leather Welding Gloves**

- 16" full-length gloves in red/green
- Wing thump continues one piece back
- welt reinforced finger seams
- Split grain cowhide in red with black welted
- Jersey liner Material
- Finishing with piping
- EN420, EN 388 & 407 CE

**Application**

Foundry, Welding, Metal Fabrication,  
All general purpose requiring heat and  
spark protection, Light Engineering work



Packing: 1x 12 x 5 dozen  
Dimension: L39 x W25 x H70CM  
Net Weight / KG 21.25 | Gross Weight/ KG 22.00



## EyeveX SGK 45B String Knit Gloves

- Natural colour
- Heavy Duty
- Cotton / Polyester 8- 10
- Elastic cuff
- Excellent breathability
- EN 420



Packing: 1x12 x 25 = 300  
Dimension: L45 x W20 x H66 CM  
Net Weight / KG 22.00 | Gross Weight/ KG 23.00



## EyeveX SGLB 108 Latex Palm Coated

- 10 G Yellow high grade T/C liner Blue Latex palm coating Crinkle finish

### Performance

- Flexible latex palm & thump coating provides excellent grip in both wet & dry conditions for safe & secure handling
- The seamless knitted liner provides exceptional comfort & reduces hand fatigue
- Individual pair packed in polybag
- The back of the gloves is uncoated allowing the hand to breath
- EN 420, EN388:2003 CE

### Application

- Construction, Recycling, Gardening, Workshop, General Handling




Packing: 1x12x10=120  
Dimension: L60 x W29 x H30 CM  
Net Weight / KG 11.00 | Gross Weight/ KG 13.00

## EyeveX SGLO 109 Leather Working Gloves

- 16" full-length gloves in red/green
- Wing thump continues one piece back
- welt reinforced finger seams
- Split grain cowhide in red with black welted
- Jersey liner Material
- Finishing with piping
- EN420, EN 388 & 407 CE

### Application

Foundry, Welding, Metal Fabrication,  
All general purpose requiring heat and  
spark protection, Light Engineering work



Packing: 1x 12 x5 dozen  
Dimension: L39 x W25 x H70CM  
Net Weight / KG 21.25 | Gross Weight/ KG 22.00




## EyeveX SGNN 901 Maxi Grip, Ultra Light-Weight Nano Foam Nitrile Coating

- The breathable ultra-light thin nano foam nitrile coating keeps hands cool and dry, while offering excellent grip in wet and dry environment.
- 15 gauge seamless nylon liner with spandex provides superior sensitivity and dexterity.

### Application

Handling/ assembling small oily parts, General assembly,  
Machining, Micro-engineering, Automotive components.



Packing: 1x20dozen  
Dimension: L48 x W47 x H23 CM  
Net Weight / KG 11.00 | Gross Weight/ KG 12.00




## EyeveX SGN 901

### Nitrile Palm Coated Glove Nylon Lined

- 13 G Fluorescent Yellow polyester seamless liner green nitrile palm coating smooth finish

#### Performance

- The soft seamless knitted liner provides an excellent level of comfort
- Exceptional grip in dry applications & good in many light oil applications
- The snug fit provides maximum dexterity for the most tactile of application
- EN 420, EN 388:2003 CE



Packing: 1x12x10=120  
Dimension: L60 x W29 x H30 CM  
Net Weight / KG 11.00 | Gross Weight/ KG 13.00

#### Application

- Component handling
- General Assembly
- Electronics
- Workshops
- Light engineering work
- Oil field work

## EyeveX SGN 902

### Fully Coated Nitrile Gloves

- Anti-acid & Alkaline
- Heavy duty double-ply
- Black and orange color
- Weight: 75 - 85gms /pair
- Length: 275-295mm, Width: 95-110mm



Packing: 1x 12 x 20  
Dimension: L46 x W32 x H28CM  
Net Weight / KG 16.80 | Gross Weight/ KG 18.80



**EyeveX SHD-027**  
Industrial Rubber Gloves

- Anti-acid & Alkaline
- Heavy duty double-ply
- Black and orange color
- Weight: 75 - 85gms /pair
- Length: 275-295mm, Width: 95-110mm



Packing: 1x 12 x 20  
Dimension: L46 x W32 x H28CM  
Net Weight / KG 16.80 | Gross Weight/ KG 18.80



**EyeveX SHD-028**  
Flockline Latex Industrial Gloves

- Natural latex
- Flocklined
- Beaded cuff anti-slip
- Comfortable
- Durable
- Heavy Duty



tested and certified by: **Intertek**

Packing: 1x 12 x 20  
Dimension: L50 x W29 x H33CM  
Net Weight / KG 15.80 | Gross Weight/ KG 16.50





## EyeveX SHD 029 Nitrile Flockline Gloves

- 13 G Fluorescent Yellow polyester seamless liner green nitrile palm coating smooth finish

### Performance

- The soft seamless knitted liner provides an excellent level of comfort
- Exceptional grip in dry applications & good in many light oil applications
- The snug fit provides maximum dexterity for the most tactile of application
- EN 420, EN 388:2003 CE



### Application

- Component handling
- General Assembly
- Electronics
- Workshops
- Light engineering work
- Oil field work



Packing: 1x12x10=120  
Dimension: L60 x W29 x H30 CM  
Net Weight / KG 11.00 | Gross Weight/ KG 13.00

## EyeveX SHD 030 Latex Flocklined Beaded Glove 18"

- Superior quality, Heavy duty
- Acid & Alkali proof
- Whitelined Industrial
- Non-slip grip
- Long lasting
- Rolled cuff
- Size-18" (450mm)
- Thickness (0.02mm+/-): 0.6-0.7mm
- GMS (+/- 5GMS): 190-200
- Pure Natural latex to B.I.S standard
- CE 0075, EN 388-1121, EN 374



Packing:  
Dimension:  
Net Weight / KG | Gross Weight/ KG

**EyeveX SHD-032**  
Chemical Resistance Glove

- 18G Polyester Seamless liner
- Nitrile palm coated
- Sandy Exterior Finishing
- 30 CM

**Applications**

- Chemical industry
- General handling
- Automotive
- Metallurgy
- Mining industry
- Oil and gas industry



Packing: 1x 12 x 10 = 120 pairs/CTN  
Dimension: L46 x W32 x H28CM  
Net Weight / KG | Gross Weight/ KG 18.80



**EyeveX SHD-033**  
Liquid Resistance Glove

- Fully latex rough finished
- Interlock Liner
- Latex Rough Coating Material
- Latex Exterior Finishing
- Size: 33cm

**Application:**

- Chemical Industry
- Construction Industry
- Printing Industry
- Metal-[rocessing industry
- Mineral oil industry
- Oil and gas industry
- Petrochemicals



Packing: 1x 12 x 10  
Dimension: L50 x W29 x H33CM  
Net Weight / KG | Gross Weight/ KG 16.50



Micro-foam Nitrile Coating

**EyeveX SGNC 8900**  
Cut Resistance grade 5

- Provides maximum grip and maximum cut protection.
- Micro Foam nitrile coated glove.
- Thumb crotch reinforcement.
- Super thin liner for sensitivity and dexterity
- Comfortable over long periods of work.
- 13'G high performance liner
- ISO 13997 level C-super thin liner



Packing: 1x 12 x 20  
Dimension: L46 x W32 x H28CM  
Net Weight / KG 16.80 | Gross Weight/ KG 18.80



PU coated glove

**EyeveX SPUC 8900**  
Cut Resistance grade 5

- Seamless HPPE & glass linear with a PU coated Palm
- Maximum cut resistance at cut level 5
- Excellent grip in wet, oily & dry conditions
- High durability with high tear & abrasion resistance ideal for automotive, mechanical instruction, metal fabrication, Glass industries, Transport precision operation
- Conforms to EN 388-2003



Packing: 1x 12 x 20  
Dimension: L50 x W29 x H33CM  
Net Weight / KG 15.80 | Gross Weight/ KG 16.50



## EyeveX SNDG 025 Heavy Duty Nitrile Dipped Gloves

- Dipped gloves
- Protecting against water, oil or other substances
- 2" safety cuff
- Protection against abrasion and punctures
- 100% Cotton jersey
- Soft comfortable feel



Packing: 1x12x10=120  
Dimension: L65 x W30 x H32 CM  
Net Weight / KG 14.50 | Gross Weight/ KG 15.50



## EyeveX SNG 034 Blended Nitrile Gloves

- Advance PVC formulation & No allergic reaction
- Ambidextrous.
- Non-sterile, Powder-free
- Non-Toxic, harmless and odorless
- Multipurpose
- Color: Blue
- Thickness: 5mil
- Size: S/M/L/XL



Packing:  
Dimension: Lx W x H CM  
Net Weight / KG | Gross Weight/ KG

## EyeveX SNG 035 Nitrile Disposable Gloves

- 100% Nitrile (acrylonitrile-butadiene).
- Advance Latex-free formulation, no allergic reaction.
- Ambidextrous.
- Non-sterile.
- Non-Toxic, harmless and odorless.
- Powder free.
- Multipurpose.
- Color: Purple Blue
- Size: S-M-L-XL



Packing: 1x 100 x 10  
Dimension: L33 x W22 x H25CM  
Net Weight / KG 4.00 | Gross Weight/ KG 4.50

## EyeveX SGC 92 Flourescent Green Glove Clip


- Protect and save your glove with glove guard/glove clip
- Glove clip help to keep your gloves with you while you are not wearing it , it will protect the high cost form lose
- GLove clip was created to keep gloves with employees, so they would be used when needed
- This has resulted in reports of reduced gloves loss and hand injuries by much as 86%.
- The clip was also designed with redundant safety breakaway system to prvent additional snagging hazards from rotation equipment andl climbing ladder.



Packing: 1x 12 x 20  
Dimension: L50 x W29 x H33CM  
Net Weight / KG 15.80 | Gross Weight/ KG 16.50

**EyeveX SKD 70/ SKD 71**  
Heavy Duty Nitrile Dipped  
Gloves

- Heavy Duty
- PVC Dot cotton gloves full gauge
- Black dot and palm
- Dyed knitted cuff
- Weight: 70gm
- Single sided
- Size: 09/10/11




Packing: 1x12x10=120  
Dimension: L65 x W30 x H32 CM  
Net Weight / KG 14.50 | Gross Weight/ KG 15.50



**EyeveX SKD 90**  
Knitted Dotted Gloves 80gm


- Heavy Duty
- PVC dot cotton glove full gauge
- Blue dot and on the palm & out side
- Dyed knitting cuff
- Weight: 90gm
- Double sided
- Size: 08/10/11



Packing: 1x12pairs x 25 dozen/CTN  
Dimension: L60x W60 x H25 CM  
Net Weight / KG 28.00 | Gross Weight/ KG 28.75

## EyeveX SDG 0800, SDG 0120 PVC Dotted Gloves 8oz,12oz

- Heavy Duty
- PVC Dot cotton gloves full gauge
- Black dot and palm
- Dyed knitting cuff
- Weight: 8oz / 10oz / 12oz / 14oz
- Single sided, Double side
- Size: 09 / 10



Packing: 1x 100 x 10  
Dimension: L33 x W22 x H25CM  
Net Weight / KG 4.00 | Gross Weight/ KG 4.50



## Excellent Performance Metal Gloves

### EyeveX SKD 91 Short-sleeve Metal Gloves

- Right and left reversible wearing
- Flexible wrist strap, suit for any size wrist and be comfortable
- Metal Adjustable snap-fastener design
- The whole palm protective
- Stainless steel ring Size: ( inner dia.:2.75mm, outer dia.:3.81mm, wire dia.: 0.53mm)
- Soft, light weight
- Comfortable to wear and easy to clean.



Packing: 1x 12  
Dimension: L x Wx HCM  
Net Weight / KG | Gross Weight/ KG



## EyeveX SAVG 9000 Anti Cut & Anti -Vibration Gloves

- 1 Anti- Cut, Anti-Vibration
- Abrasion resistance and anti puncture
- Environmental And Non Pollution

### Performance

- Unique chloroprene rubber palm pad.
- Light weight, breathable 7-gauge cotton/nylon seamless knit construction.
- Pre-curve design provides comfort, dexterity, and flexibility with elastic cuff for security fit.
- Conforms to ANSI S2.73/ISO-10819/EN420

Packing: 1x12x5=60  
Dimension: L65 x W36 x H46 CM  
Net Weight / KG 11.70 | Gross Weight/ KG 12.70



Cut Protection

MD Medium



Cut Protection

MD Medium

## Anti-cutting Protection Level No.2

## EyeveX SIRG 9100 Impact Resistant Glove

- Synthetic leather palm with silicon gel dots provides excellent skid resistance performance .
- Spandex back ensures a super comfort fit.
- TPR sewed on back protects fingers and knuckle from impact .
- Neoprene safety cuff for snug fit with easy on/off operation.
- Water and OIL REPELLENT fabric back , dust proof , four way stretch & HI-VI Color.
- Sewn TPR finger enhances the durability and protects hands and knuckle against bumps and bruises .
- Reinforced Fingertips greatly weaken the impact of pinches.
- Curved fingers for added dexterity and reduced hand fatigue through long-time work.
- Breathable HYPRENE cuff with synthetic pull tab provides extreme comfort & flexibility.

Packing: 1x12pairs x 5 dozen/CTN  
Dimension: L66x W37 x H31 CM  
Net Weight / KG 12.40 | Gross Weight/ KG 13.80

Anti-cutting protection level no. 5

## EyeveX SIRG 9200 Impact Resistant Glove

- Liner:HPPE,Reinforced palm for maximum durability.
- Inner comfortable pad
- Anti-skid and anti-abrasion
- Anti-vibration and anti-impact
- TPR on back and fingers protects knuckles from impact and abrasion
- Wrist Leather and velcro easy take-on and take-off

### Application

- OilFieldOperation.Drilling,OffshorePlatform, OilRigger,Exploration
- Logistics,shipping,mechanics,Automobile
- Construction.Building,Road,Mining
- Aeroneutical,Rescue

Packing: 1x 12 x 5 = 60  
Dimension: L65 x W36 x H34 CM  
Net Weight / KG 13.90 | Gross Weight/ KG 14.90



Cut Protection



MD Medium



Hot

## EyeveX EHRG 250 Heat Resistant Gloves

- Heat and cut resistant gloves
- Kevlar liner, aluminium foil back
- Fire resistant cow leather
- Max contact temperature 250 °C

### Application:

- Baking
- Hot object handling



Hot



Packing: 1x 12  
Dimension: L x Wx HCM  
Net Weight / KG | Gross Weight/ KG



Cold Storage Gloves

**EyeveX EPWG 2628**  
PVC Fully Dipped Gloves

- Foam insulated Liner
- Smooth PVC coated glove
- Knit wrist
- Color : Fluorescent Orange
- Size: 10/XL
- EN 388, EN 511



Packing: 1x12, 72/ctn  
Dimension:  
Net Weight / KG Gross Weight/ KG



Cold Storage Gloves

**EyeveX ENWG 1012**  
Black Micro Foam Nitrile 3/4 coating

- Polyester double liner
- 13 gauge polyester outer liner
- 7G fleece inner liner
- Black Micro Foam Nitrile 3/4 coating.
- Color : Yellow/Black
- Size : 9 & 10
- EN388:2016 4.2.4.2.B, EN511 X.2.X




Packing: 1x12, 72/ctn  
Dimension:  
Net Weight / KG Gross Weight/ KG

Electrical Gloves

ASTM D120, NFPA  
70E and EN 60903.



**Raychem RPG**



CLASS 00 2,500 Volt Tested 500 Volt Working	Straight	280	11	7•8•9•10•11•12
	Straight	360	14	7•8•9•10•11•12
CLASS 0 5,000 Volt Tested 1,000 Volt Working	Straight	280	11	7•8•9•10•11•12
	Straight	360	14	7•8•9•10•11•12
CLASS 1 10,000 Volt Tested 7,500 Volt Working	Straight	360	14	7•8•9•10•11•12
	Contour	460	18	8•9•10•11•12
	Bell	460	18	9•10•11•12
CLASS 2 20,000 Volt Tested 17,000 Volt Working	Straight	360	14	7•8•9•10•11•12
	Contour	460	18	8•9•10•11•12
	Bell	460	18	9•10•11•12
CLASS 3 30,000 Volt Tested 26,500 Volt Working	Straight	410	16	9•10•11•12
	Straight	460	18	9•10•11•12
	Contour	460	18	9•10•11•12
	Bell	460	18	9•10•11•12
NOVAX CLASS 4 40,000 Volt Tested 36,000 Volt Working	Straight	410	16	9•10•11•12
	Straight	460	18	9•10•11•12
	Contour	460	18	9•10•11•12
	Bell	460	18	9•10•11•12





Eyevex's welding work wear made from specially treated leather which are heat and moisture resistant. Providing good support during welding. Our helmet are made to be high impact resistant that gives maximum protection to the welder.



## EyeveX SS 633 P Welding Helmet Blue Eagle

- Lift front style
- Tuff body
- Light weight
- Lens Size: 4.25 x 2" or 108 x 51mm
- Adjustable head gear
- High impact resistant
- CE EN 175 Coverage
- Meets ANSI Z87.1

Packing: 1x30  
Dimension: L59 x W45 x H52  
Net Weight / KG 11.00 | Gross Weight/ KG 13.00



## EyeveX SS 633P A2 Welding Helmet Blue Eagle

- Lift front style
- Tuff body
- Light weight
- Lens Size: 4.25 x 2" or 108 x 51mm
- Adjustable head gear
- High impact resistant
- CE EN 175 Coverage
- Meets ANSI Z87.1

Packing: 1x30  
Dimension: L59 x W45 x H52  
Net Weight / KG 11.00 | Gross Weight/ KG 13.00



ADNOC APPROVED

## EyeveX SWH 770 Clip-Cap Welding Helmet

- Lift up front window
- Light weight
- Easy assemble with helmet
- Connector attached
- High impact resistant
- CE EN 175 Coverage



Packing: 1x30/ctn  
Dimension: L58 x W46 x H51  
Net Weight / KG 10.00 | Gross Weight/ KG 12.00



## EyeveX SWH 567P Welding Hand-Shield

- Economic handy welding helmet
- Tuff body, PP Shell
- Fixed window size 2"x 4 1/4"
- Light weight
- High impact resistant
- Soft handle
- CE EN 175 Coverage

Packing: 1x50/ctn  
Dimension: L49 x W41 x H51  
Net Weight / KG 12.00 | Gross Weight/ KG 14.00



ADNOC APPROVED

## Eyevex SWJ 32 Welding Jacket

- 32 inch jackets gives protection from neck to waist.
- With heavy side-split leather which offers outstanding protection from heat, sparks, slag and cuts.
- Keep the wearer protected.
- EN 470-1 Standard

EN 470-1



Packing: 1x30  
Dimension: L59 x W45 x H52  
Net Weight / KG 11.00 | Gross Weight/ KG 13.00



## Eyevex SWA 46 Welding Apron

- Split leather
- Light grey
- 36" x 24" Welder's apron with neck, chest loop and Buckle
- EN 470-1 Standard

EN 470-1



Packing: 1x50  
Dimension: L57 x W45 x H30  
Net Weight / KG 20.00 | Gross Weight/ KG 21.80



## Eyevex SWS 47 Welding Hand Sleeve

- Lift up front window
- Light weight
- Easy assemble with helmet
- Connector attached
- High impact resistant
- CE EN 175 Coverage

Packing: 1x50/ctn  
Dimension: L55 x W34 x H29  
Net Weight / KG 21.00 | Gross Weight/ KG 21.50



## Eyevex SWL 48 Welding Leg Guard

- Lift up front window
- Light weight
- Easy assemble with helmet
- Connector attached
- High impact resistant
- CE EN 175 Coverage

Packing: 1x30/ctn  
Dimension: L58 x W46 x H51  
Net Weight / KG 10.00 | Gross Weight/ KG 12.00



## Eyevex SCAY-01, SCAG-02 Chemical Apron

- Made from PVC and polyester
- Thickness: 0.28mm
- Chemical dimension: 140cm x 90cm
- Resistant to all chemicals

Packing: 1x50/ctn  
Dimension: L34 x W25 x H38 CM  
Net Weight / KG 21.00 | Gross Weight/ KG 22.50



Eyevex gives foot protection for all types of industrial work with various types to choose from.





### Hunk SHR 1132 S3 SRC ESD 11" Pull-on Boot Brown

- Upper leather: Buffalo full grain Crazy horse (1.8\*2.00mm)
- Lining: Black and Easy Dry breathable air mesh.
- Outsole: Black PU/Nitrile Rubber, heat resistant to 300°
- Toe: CE EN 12568 Steel midsole
- Anti-static
- Electrostatic discharge (ESD)
- Waterproof
- Insock: EVA+Air mesh (5-7mm)
- Standard: S3 SRC WRU HRO E FO

**CE** Packing: 1x10 pairs  
Dimension: L63 X W42 X H32 CM  
Net Weight / KG 17.00 | Gross Weight / KG 17.90



### Hunk SHR 1133 S3 SRC Rigger-Welder Boot

- Dark Brown Buff full grain leather material.
- Design-Stitched with FR red thread.
- Black Nitrile rubber sole.
- Oil, Chemical & Heat resistant up to 300°C
- Anti-static
- 200 Joules ANSI Z41 PT 91 M1/75.
- EN ISO 20345 Standard

**CE** Packing: 1x10 pairs  
Dimension: L59 X W33 X H39 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.50



### Hunk SHR 1134 S3 SRC Rigger-Welder Boot

- Golden Tan/ Brown full grain leather
- Lining: Brown / Beige soft fabtex.
- Sole: Nitrile rubber.
- Pull on type, Padded socks, Oil/ chemical and heat resistant double density PU sole up to 300
- Anti-static insole.
- 200 JOULES
- Available in SB, S1P, S2, S3
- Size: 38-46
- ANSI Z41 PT 91 M1/75.
- EN ISO 20345 Standard

**CE**

Packing: 1x10 pairs  
Dimension: L59 X W33 X H39 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.50

## Eyevex EHA 1135 S3 SRC High Ankle, S3 SRC

- Black finest quality tango bufallo leather water repellent.
- Steel Toe, Steel-plate
- Rust proof 'D' ring, padded socks, padded ankle
- Oil, chemical & heat resistant PU rubber sole up to 120°C
- Antistatic insole
- Sizes: 38-46
- EN ISO 20345:2011 S3.



Packing: 1x10 pairs  
Dimension: L62 X W47 X H34CM  
Net Weight / KG 17.00 | Gross Weight / KG 19.35



## Eyevex ELA 1136 S3 SRC Low Ankle, S3 SRC

- Black finest quality tango bufallo leather water repellent.
- Steel Toe, Steel-plate
- Rust proof 'D' ring, padded socks, padded ankle
- Oil, chemical & heat resistant PU rubber sole up to 120°C
- Antistatic insole
- Sizes: 38-46
- EN ISO 20345:2011 S3.



Packing: 1x10 pairs  
Dimension: L62 X W47 X H34CM  
Net Weight / KG 17.00 | Gross Weight / KG 19.35





## Hunk SSH 1137 S3 High Ankle Safety Shoe

- High Ankle.
- Upper: Palm print cow leather
- Triple sole: Nitrile-PVC PU
- Steel Toe cap and steel plate
- Anti-static
- Waterproof
- EN ISO 20345



Packing: 1x10 pairs  
Dimension: L63 X W42 X H32 CM  
Net Weight / KG 17.00 | Gross Weight / KG 17.90



## Hunk SHL 1138 S3 Low Ankle Safe

- Low Ankle.
- Upper: Palm print cow leather
- Triple sole: Nitrile-PVC PU
- Steel Toe cap and steel plate
- Anti-static
- Waterproof
- EN ISO 20345



Packing: 1x10 pairs  
Dimension: L59 X W33 X H39 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.50

## Hunk SHH 1139 High Quality Safety Shoe

- Premium quality mirco-fibre leather
- PU double density out sole
- Padded ankle collar
- Petrol and chemical resistant
- Steel toe-cap to EN-ISO 20345:2004 (200)
- Pierce-resistant midsole (To 1100kN)
- ASTM F 2413-05 M/II/75/C/75



Packing: 1x10 pairs  
Dimension: L60 X W41 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 12.00



## Hunk SHL 1139 High Quality Safety Shoe

- Upper: Synthetic Emboss PU
- Outsole: PU injected
- Toecap: Iron
- Plate: Iron



Packing: 1x10 pairs  
Dimension: L60 X W41 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00





## Tuffking SHH 1143 High Ankle Shoe

- 100% breathable natural finished printed leather
- Oil and slip resistant
- Heat resistant 120 degree
- Toe Protection with 200 Joules
- Puncture resistant (steel midplate)



Packing: 1x10 pairs  
Dimension: L63 X W42 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00



## Tuffking SHL 1144 Low Ankle Safe

- Low Ankle.
- Upper: Palm print cow leather
- Triple sole: Nitrile-PVC PU
- Steel Toe cap and steel plate
- Anti-static
- Waterproof
- EN ISO 20345



Packing: 1x10 pairs  
Dimension: L60 X W41 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00

## Eyevex SHE 3172 Low Ankle Executive Safety Shoe

- Low ankle executive shoe.
- Cow din FG haircell black.
- Soft fabtex with 3mm foam.
- Brass oxidized black eyelets, Padded Socks, padded ankle, oil / Chemical and Heat resistant PU sole, Antistatic insole.
- 200 joules steel toe
- 1100 KN steel plate
- Available in S1P
- Sizes: 38-48,
- ANSI Z41 pt 91 m1/75
- EN ISO 20345 standard



Packing: 1x10 pairs  
Dimension: L61 X W64 X H29 CM  
Net Weight / KG 10.50 | Gross Weight / KG 11.50

## Hunk SHL 3174 Ladies Safety Shoe

- Full grain leather upper
- PU leather lining
- Composite toe
- PU/PU injection sole
- 200 joules steel toe
- Available in S1
- Size 38 to 48
- ANSI Z41 pt 31 m1/75
- EN ISO 20345 standard



Packing: 1x10 pairs  
Dimension: L62 X W45 X H35 CM  
Net Weight / KG 10.50 | Gross Weight / KG 11.50



## Hunk SHE 3175 S3 SRC Safety Boots-High Ankle

- Upper : Buff DIN Grain Barton Leather 1.8-2.0 MM
- Collar Lining : Synthetic PU Alfa 0.6 MM
- Quarter Lining : Synthetic Cambrelle W/Cushion 110 GSM
- Fitting : Imported Metallic D Ring
- Toe Cap : 604 EN 12568 Composite Toe Cap 200 Joule
- Insole : Anti Puncher EN 12568 4.5 MM Kevlar
- In sock : M2 – 3.5 MM EVA Moulded
- Mould : Charlie
- Size Run : 05-12
- Sole : PU Midsole & Rubber Outsole with Antistatic Resistance to Acid, Alkali and Heat Resistance Up To 300°C for 1 minut



Packing: 1x10 pairs  
Dimension: L63 X W42 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00



## Hunk SHE 3176 S3 SRC ESD OXFORDS Men's Safety Shoes 5"

- Upper leather: Buffalo full grain crazy horse (1.6-1.8mm)
- Lining: Black Easy dry breathable air mesh
- Outsole: Black PU/ Nitrile Rubber, heat resistant to 300°
- Toe: CE EN 12568 Steel Toe
- Midsole: CE EN 12568 Steel midsole
- Antistatic
- Electrostatic discharge (ESD)
- Waterproof
- Insock: EVA + Air mesh (5-7mm)
- Standard: S3 SRC WRU HRA E FO



Packing: 1x10 pairs  
Dimension: L60 X W41 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00

## Hunk SHE 3179

High Ankle Safety Shoe with Double Density  
PU - Rubber Sole

- Oil Resistant
- Heat resistant up to 300° C
- Impact Resistant
- Penetration Resistant
- Slip Resistant SRC
- Abrasion Resistant
- Electrical Hazzard Protection 100Kohm-1000Mohm,
- 100% water resistant
- Shock Absorbent
- Anti Bacterial
- Anti static



Packing: 1x10 pairs  
Dimension: L60 X W41 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00



## Hunk SHL 3178

Low Ankle Safety Shoe

- Hunk SHE 3179
- Low Ankle Safety Shoe Brown
- Slip resistant
- Anti-static
- Oil/Chemical resistant
- Heat and Spark resistant
- With electric insulation
- Size: 36-47
- Conforms to EN ISO 20345:2011



Packing: 1x10 pairs  
Dimension: L60 X W41 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00





### Eyevex SHE 3180 S1P Executive Safety Shoe

- Upper: Suede Leather
- Lining: Yellow 3D mesh
- In-sock: Comfortable EVA coated mesh
- Outsole: No 00 PU/PU
- Steel Toe/Composite Toe
- Steel Plate / Composite Plate
- Conforms to EN ISO 20345



Packing: 1x10 pairs  
Dimension: L61 X W64 X H29CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.00



### Hunk SHE 3181 S1P SRC Executive Safety Shoe

- Breathable blue cow suede leather
- Antistatic EVA in-sock
- PU/PU injection, dual density
- Composite Toe cap, 200j
- Kevlar Mid-sole
- Size: 35-48
- EN ISO 20345 S1P SRC



Packing: 1x10pairs  
Dimension: L63 X W42 X H32 CM  
Net Weight / KG 16.80 | Gross Weight / KG 17.15

## Hunk SHL 3173 Ladies Safety Shoes

- Low angle executive shoe.
- Cow din FG haircell black.
- Soft fabtex with 3mm foam.
- Brass oxidized black eyelets
- Padded Socks, padded ankle  
oil / Chemical and Heat resistant PU sole
- Antistatic insole
- 200 joules steel toe
- 1100 KN steel plate
- Available in S1P.
- Sizes 38 to 45.
- ANSI Z41 pt 91 m1/75.
- EN ISO 20345 standard.

**CE** Packing: 1x10 pairs  
Dimension: L60 X W41 X H32 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00



## ROSTOV S3 SRC Cold Storage Safety Shoes

UPPERSOLE: Polyurethane  
OUTSOLE: COMPOUND SOLID RUBBER – TRIUM PLEX TECH  
Size: 36 - 47  
TOE CAP: Composite toe-cap  
LINING: Breathable fabric lining  
APPLICATION:  
Outdoor Jobs : Wet Area Hard Jobs, Dry Area Hard Jobs

**CE** Packing: 1x10 pairs  
Dimension: L X W X H32 CM  
Net Weight / KG | Gross Weight / KG





## Hunk HGS 1140 Safety Gum Boot S5

- PVC Green colour rubber
- Nitrile black colour sole
- Polyester lining
- EN ISO 20345:2011 S5 SRC
- Size: 36-48
- Made in Italy

**CE** Packing: 1x8pairs  
Dimension: L39 X W39 X H55 CM  
Net Weight / KG 23.00 | Gross Weight / KG 24.50



## Hunk HGB 1141 Non-Safety Gum Boot

- PVC Black colour upper
- Nitrile black colour sole
- Polyester lining
- EN ISO 20347:2012 OB-E-SRC
- Size: 36-47
- Made in Italy

**CE** Packing: 1x12 pairs  
Dimension: L40 X W50 X H40 CM  
Net Weight / KG 22.00 | Gross Weight / KG 23.00

## SKP 9 Knee Pad

- Made with EVA foam material.
- Light weight.
- Durable.
- Velcro closure
- Size: 15cm x 20cm
- Color: Black
- Packing: 40 pairs per carton
- Made in Taiwan

**CE** Packing: 1x40 pairs  
Dimension: L X W X H CM  
Net Weight / KG | Gross Weight / KG



### ARCH HIGH



for the cavoid foot hot and sensitive feet

### ARCH LOW



for the flat foot hot and sensitive feet

### ARCH MEDIUM



for the normal foot hot and sensitive feet



## MYSOLE Anti-static safety Insole

- The right insole makes standing more comfortable and is better for your health
- The MYSOLE™ Work is a line with high quality insoles, designed for many specific applications and situations. The innovative anatomic design, in combination with the usage of superior materials, makes MYSOLE™ a unique proposition.
- They provide support and comfort to the foot, have a positive impact on users' performance and even help to prevent many foot and body related complaints. Using an appropriate insole can even minimize the risks of sickness absence!
- The MYSOLE™ Work program offers therefore a great new solution for both the employees and their employee

**CE** Packing: 1x10 pairs  
Dimension: L X W X H32 CM  
Net Weight / KG | Gross Weight / KG



Eyevex provides fire protection first aid kits, breathing apparatus, blankets, fire extinguishers of different variants to keep you away from fire harm. Our product is known for its quality and performance.





## FW 606, FW 604, FW 404 Fire Blankets with PVC Cover

Sizes: 6x6 ft., 6x4 ft., 4x4 ft.  
Tested & Certified to BS EN 1869:1997 and AS/NZS 3504



FW404  
Packing: 1x10 pairs  
Dimension: L41 X W43 X H17 CM  
Net Weight / KG 8.50 | Gross Weight / KG 9.20

FW 604  
Packing: 1x10 pairs  
Dimension: L40 X W37 X H17CM  
Net Weight / KG 12.50 | Gross Weight / KG 13.20

FW 606  
Packing: 1x10 pairs  
Dimension: L50 X W42 X H17 CM  
Net Weight / KG 18.50 | Gross Weight / KG 19.20

### FW 504



## FW 504, FW 510 Fire Blankets Roll

Size: 1x50 mtrs  
Thickness: 0.5 mm 504 / mm 510  
Tested & Certified to BS EN 1869:1997 and AS/NZS 3504

### FW 510





BS EN3



DRY POWDER FIRE EXTINGUISHER  
Capacity (kg 1,2,4,5,6,9,12)



BS EN3

FOAM FIRE EXTINGUISHER  
Capacity (Ltrs) 6,9



BS EN3

H<sub>2</sub>O

WATER FIRE EXTINGUISHER  
Capacity (Ltrs) 9



BS EN3

CO<sub>2</sub>

CARBON DIOXIDE FIRE EXTINGUISHER  
Capacity (kg) 2,3(5LBS) 5



Eyevex's Scaffold tags are used in compliance with OSHA regulations and are used to indicate to workers when scaffolding is not safe.





### TAG IT STIT 32

Scaffolding Tag-Regular Size

- ABS Material Holder
- 10 pcs Holder
- 20 pcs Insert Fix
- UV Resistant
- Safety approved



Packing: 1x10 pairs  
Dimension: L24 X W24 X H36 CM  
Net Weight / KG 9.30 | Gross Weight / KG 10.00



### TAG IT STIT 320 A

Scaffolding Tag-Broad Size

- ABS Material Holder
- 10 pcs Holder
- 20 pcs Insert Fix
- UV Resistant
- Safety approved



Packing: 1x10 pairs  
Dimension: L32 X W410 X H33 CM  
Net Weight / KG 15.50 | Gross Weight / KG 16.50



### EBS 30 / EBS 50 Scaffolding Coupler Lifting Bag

- Couplers Lifting Bag
- 30/50 KG Maximum Load
- Very durable and great quality
- Cordura Fabric



Packing: 1x10 pairs  
Dimension: L24 X W24 X H36 CM  
Net Weight / KG 9.30 | Gross Weight / KG 10.00



### ESBB-FS4 Leather Tools Belt

- Black Colour leather scaffolding tool belt
- 4mm thickness leather
- Tool belt sets
- Individual tool belt
- Double spanner frog
- Scaffolders level



Packing: 1x10 pairs  
Dimension: L32 X W410 X H33 CM  
Net Weight / KG 15.50 | Gross Weight / KG 16.50



Tag out is a labelling process that is always used when lockout is required.





## TI-VLPP-RS, 40mm ABS Short Shackle Padlock

- Compliance with OSHA “One employee, one lock, one key” directive to ensure duplicate keys are not issued
- Permanent write-on labels for individual markings
- Key retaining design ensure padlock is not left unlocked
- 6-pin precision machined keys for extra security
- Shackle length : 40mm
- Padlocks also available with Stainless Steel and Brass shackles for protection against harsh corrosive / offshore environments
- Available in key different, key alike and with master key option to best suit your LOTO program
- Padlock colors can be customized.



## TI-VLPP-RLS, 75mm ABS Long Shackle Padlock

- Compliance with OSHA “One employee, one lock, one key” directive to ensure duplicate keys are not issued
- Permanent write-on labels for individual markings
- Key retaining design ensure padlock is not left unlocked
- 6-pin precision machined keys for extra security
- Shackle length : 75mm
- Padlocks also available with Stainless Steel and Brass shackles for protection against harsh corrosive / offshore environments
- Available in key different, key alike and with master key option to best suit your LOTO program
- Padlock colors can be customized.





## TI-DEPL 40 De-electric Lockout Padlock

- Plastic shackle helps in preventing electrocution and arc flashing
- Compliance with OSHA "One employee, one lock, one key" directive to ensure duplicate keys are not issued
- Permanent write-on labels for individual markings
- Key retaining design ensures padlock is not left unlocked
- 6-pin precision machined keys for extra security
- Standard shackle length of 40mm
- Available in key different, key alike and with master key option to best suit your LOTO program
- Padlock colors can be customized.



## TI-DEPL 80 De-electric Lockout Padlock

- Plastic shackle helps in preventing electrocution and arc flashing
- Compliance with OSHA "One employee, one lock, one key" directive to ensure duplicate keys are not issued
- Permanent write-on labels for individual markings
- Key retaining design ensures padlock is not left unlocked
- 6-pin precision machined keys for extra security
- Standard shackle length of 80mm
- Available in key different, key alike and with master key option to best suit your LOTO program
- Padlock colors can be customized.



### TI-VLPP-RS, 40mm ABS Short Shackle Padlock

- Chemical resistant
- Non-conducting, Non-cracking
- Withstand abrasion and temperatures from -46°C to 180°C
- 3 Locking sizes available from 95mm to 200mm
- Slide and secure with padlock



### TI-GVL 2563 Gate Valve Lock

- Durable polypropylene make with unique knockout center accommodates OS&Y or "rising stem" valves
- Two half moons that prevent accidental opening
- Chemical resistant
- Valve wheel dia. starts from 1"~2.5"(25mm-63mm) and available in 4 other sizes.
- ANSI designated color coding:

Blue: low hazard gas  
Green: low hazard liquid  
Red: for fire protection materials  
Yellow: for life or property damage

## Lockout Tagout Stations




### TI-LS-20L

- Safety Lockout Padlocks - 20 each
- Lockout Tags
- Safety Lockout Hasp 38mm (1-1/2") Jaw Size - 1 Each
- Safety Lockout Hasp 25mm (1-1/2") Jaw Size - 1 Each

### TI-LS-20L

- Safety Lockout Padlocks - 20 each
- Lockout Tags
- Safety Lockout Hasp 38mm (1-1/2") Jaw Size - 1 Each
- Safety Lockout Hasp 25mm (1-1/2") Jaw Size - 1 Each



### TI-SMLS 12

- Safety Lockout Padlock - 1 each
- Lockout Ties
- Safety Lockout Hasp - 1 each
- Lockout Tags - 10 each



## TI-S-MCL 316 Standard Cable Lockout

- Compact, lightweight body
- Made of rugged impact modified glass filled nylon
- Superior chemical, corrosion and temperature resistance properties
- Sheathed metal cable is 3/16" diameter including vinyl coating
- 6 lock holes accommodate most lock shackles and hasps
- Supplied with standard length of 1 metre
- Additional cable length also available on request



## TI LK 31 Basic Lockout Kit

- Includes:
- Lockout hasp with 25mm jaw size - 1each
  - Lockout hasp with 38mm jaw size - 1each
  - De-Electric hasp - 2each
  - Ultimate Lockout padlocks long shackle - 2sets
  - De-Electric padlocks - 2each
  - Safety tags (Do not Operate) - 5each
  - Safety Lockout Ties - 5each
  - Miniature circuit breaker / fuse lockout - 1set
  - Gate Valve lockout 1" to 2-1/2" - 1each
  - Gate Valve lockout 2-1/2"-5" - 1each
  - Ball Valve lockout small - 1each
  - Universal circuit breaker lockout - 1set
  - Large circuit breaker lockout - 1each
  - Cylinder lockout - 1each
  - Pneumatic Plug lockout small - 1 each
  - Universal multipurpose cable lockout - 1each
  - Standard multipurpose cable lockout - 1each
  - Screw Driver/Tester - 1each
  - Permanent Marker Pen - 1each
  - Lockout Kit box - 1each



## TI LK 56 Electrical Lockout Kit

### Includes:

- Miniature Circuit Breaker/Fuse Lockout- 1 set
- Universal circuit breaker lockout – 1 set
- Large circuit breaker lockout toggle type- 1 each
- Plug Lockout- 1 each
- Pneumatic Plug Lockout small- 1 each
- Pneumatic Plug Lockout big – 1 each
- Universal multipurpose cable lockout- 1 set
- Standard multipurpose cable lockout- 1 each
- De-Electric hasp- 3 each
- Ultimate lockout padlocks regular shackle- 3 each
- Ultimate lockout padlocks long shackle- 3 each
- De-Electric padlocks- 3 each
- Steel lockout hasps 25mm jaw size dia- 3 each
- Steel lockout hasps 38mm jaw size dia- 3 each
- Lockout tags- 20 each
- Lockout Ties- 20 each
- Permanent Marker Pen- 1 each
- Pouch Lock- 1 each
- Electricians Lockout Pouch- 1 each
- Electrical Lockout Kit Box- 1 each



## TI GLOB 16 Group Lock box

### Includes:

- Molded using Poly-carbonate for extra durability
- Chemical and heat resistance properties
- Non-corrosive
- Lock rails hold up to 16 padlocks



## TI SH 25/ TI SH 38 Steel Lockout Hasp Lock

- Accepts 6 Padlocks
- Shackle diameter up to 10mm
- Has a scissor action with 25mm/38mm diameter jaw size
- Ideal for group lockout situations
- Manufactured from steel and has insulated body

## TI AH 24 Aluminium Lockout Hasp Lock

- Accepts 24 padlocks
- Shackle diameter up to 10mm
- Eliminates the need to daisy chain hasps together for more than 6 workers
- Manufactured from steel with a powder coated body
- Scissor action with 25mm dia. jaw size.



## TI DH 6 De-electric Hasp Lock

- De-electric Hasp
- 6 Holes for 6 padlocks
- Manufactured from heavy duty flexible nylon
- 80mm clearance
- Ideal for difficult applications
- Shackle diameter up to 9mm



## TI ST 7 Standard Safety Lockout Tags

- Highly visibility
- Resistant Oil, water and extreme temperatures
- Dry erase surface
- Semi rigid plastic 0.7mm thickness
- Tags can be customised as per requirement





Eyevex provide road safety products to prevent road accidents all around the world.



0.03mm X 7cm X 200m

**CE** Packing: 1x20  
Dimension: L28 X W28 X H39 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.00

## Eyevex SWT 372 Traffic Safety Warning Tape

- PE warning tape, without glue
- Designed for traffic guide or warning, security, protection
- Color: red & white strip
- Material: PE with bright color
- Having good ability for weather resistance of wearing acid or alkali conditions



**CE** Packing: 1x6x16  
Dimension: L58 X W28 X H40 CM  
Net Weight / KG 10.50 | Gross Weight / KG 11.00

## Warning Tape Adhesive

**Item Code:**  
WTA 002BY (Black/Yellow)  
WTA 002RW (Red/White)

- Self Adhesive tape
- Good floor marking & hazard warning
- Available in Red/White and Black/Yellow (60u OPT material)
- Size: 0.06mm x 48mm x 20m
- Packing: 6pcs/box x 16, 96pcs in one carton
- Made in Taiwan



**CE** Packing: 1x1  
Dimension: L110 X W15 X H15 CM  
Net Weight / KG 5.00 | Gross Weight / KG 5.00


## Eyevex ESM 5140 Orange Safety Mesh

- 330gsm
- Self standing
- Made from UV stabilized HDPE
- Flourescent Orange
- Size: 1M x 50M. 100 x 40mm



### EyeveX EKT 42 Knob-top Post Reflective

- Bright orange posts have two 3" bands of reflective tape for improved daytime and nighttime visibility
- Post Height 42"
- Designed for quick set-up with limited space
- Posts can withstand impacts and do not knock or blow down easily
- Flared bottom keeps post securely attached to base



### SC-01, SC-075 Traffic Safety Cone

- PVC Traffic cone
- PVC, Flexible
- Anti-UV, fading resistant and no ageing
- Fluorescent Orange, High visibility
- Highly reflective
- Height 1m, 0.75



## EyeveX SWC-20/SWC-28 Road Safety Warning Chain

- Durable plastic chain
- Mixed Red & White colour
- Attachments for T-Top Bollards available
- 2 metre lengths or 20 metre rolls
- 6MM x 20M/ 8MM x 20M



## SCM 601, SCM 801, SCM 101 Convex Mirror

### Range

- Convex mirror with stand
- Under vehicle search mirror
- Convex mirror Outdoor - 600mm
- Convex mirror Outdoor - 800mm
- Convex mirror Outdoor - 1000mm
- Convex mirror indoor - Wall mounting

### Features

- Impact resistant
- Weather proof
- Bright reflection

# INTRINSICALLY SAFE FLASHLIGHT

Intrinsically safe lighting is low-powered lighting, often incorporating batteries and rechargeable batteries. This lighting often makes use of low-voltage bulbs, like light emitting diodes (LEDs).



for use in hazardous location...

**EyeveX**<sup>®</sup>  
Our vision. Your safety



## SF3

### Specifications

Battery type: 4AA  
Light Source: Cree XP-E-LED  
Mode: High/Low/Off  
Light Output: L:47lm, H:114lm  
Beam Distance: L:73m, H:114m  
Run Time: L:27hrs 23mins, H:6hrs 30mins  
IP Rating:IP67  
Weight: 115g  
Dimension: 174x47x47mm  
Certification: UL, Atex, IECEx, CE, RoSH, Reach



Helmet clip: A002B+D

## DS-14

### Intrinsically Safe Headlamp For Use In Hazardous Locations



Battery Size	3*AAA
Light Source	Cree XPG2 LED
Mode	High/Low/Off
Light Output	75lm(Low)/150lm(High)
Beam Distance	75m(Low)/100m(High)
Run Time	4hrs 30mins(Low)/2hrs 30min(High)
IP Rating	IP67
Weight	143g(w/o battery)
Dimension	80*50*45mm

## DH2001

### Rechargeable Battery Design High Performance Power LED



Battery Size	2*2200mAh 18650 Li-Batteries
Light Source	Cree XP-G LED
Mode	High / Low / Flash/Off
Light Output	200lm(High)
Beam Distance	240m(High)
Run Time	6hrs(Low)/4hrs(High)
IP Rating	IPX4
Weight	798g
Dimension	260*140*165mm

- Uses Cree Xp-g Led
- Designed Reflector On Focus Beams
- Tough And Durable Casing
- High Impact Lens
- With Charger
- With Shoulder Strap

**CE RoHS**

II 1G Ex ia IIC T4  
Ex ia IIC T4 Ga IP67  
IECEx UL 14.0059x



IECEx **Ex** **CE** **RoHS**

**INTRINSICALLY SAFE FLASHLIGHT**

for use in hazardous location..

**EyeveX**<sup>®</sup>  
Our vision. Your safety

## EF104-2w



IECEX



RoHS

Class I Div 1 & 2 Grp ABCD  
Class II Div 1 & 2 Grp EFG  
Class III Temp Code: T4

IECEX UL 13.0008X  
Ex ia IIC T4 Ga

DEMKO 13 ATEX 1112940X  
Ex II 1G Ex ia IIC T4

### Specifications

Battery type: 3C  
Light Source: Cree XP-E-LED  
Mode: High/Low/Off  
Light Output: L:78lm, H:124lm  
Beam Distance: L:144m, H:185m  
Run Time: L:60hrs, H:40hrs  
IP Rating: IPx7  
Weight: 190g  
Dimension: 225x60x85mm  
Certification: UL, ATEX, IECEX, CE, RoSH, Reach



for use in hazardous location...

## DF1002-2W

### Angle Head Industrial Flashlight



#### Specifications

- Uses CREE XP-E LED
- Clip and clamp on function
- Two sides function clip
- On/Off button
- Shatterproof
- Rotatable head of flashlight.

Packing: 1x50 pcs / CTN  
Dimension: L36 X W29 X H73 CM  
Net Weight / KG 15.00 | Gross Weight / KG 15.50



IECEX



RoHS

Class I Div 1 & 2 Grp ABCD  
Class II Div 1 & 2 Grp EFG  
Class III Temp Code: T4

IECEX UL 13.0008X  
Ex ia IIC T4 Ga

DEMKO 13 ATEX 1112940X  
Ex II 1G Ex ia IIC T4

# Intrinsically Safe Flashlight Flashlight Safety Standards



## Class I Flammable Gases, Vapors or Liquids

### US Classification

#### Division 1

Where ignitable concentrations of flammable gases, vapours or liquids can exist all of the time or some of the time under normal operating conditions.

#### Division 2

Where ignitable concentrations of flammable gases, vapours or liquids are not likely to exist under normal operating conditions.

### Europe Classification

#### Zone 0

Where ignitable concentrations of flammable gases, vapours or liquids are present continuously or for long periods of time under normal operating conditions.

#### Zone 2

Where ignitable concentrations of flammable gases, vapours or liquids are not likely to exist under normal operating conditions.

#### Zone 1

Where ignitable concentrations of flammable gases, vapours or liquids are likely to exist under normal operating conditions.

#### Groups

##### Division 1 & 2:

A - Acetylene  
B - Hydrogen  
C - Ethylene  
D - Propane

##### Zone 0, 1 & 2:

IIC - Acetylene, Hydrogen  
IIC - Acetylene, Hydrogen  
IIB - Ethylene  
IIA - Propane



## Class II Combustible Dusts

### US Classification

#### Division 1

Where ignitable concentrations of combustible dusts can exist all of the time or some of the time under normal operating conditions.

#### Division 2

Where ignitable concentrations of combustible dusts are not likely to exist under normal operating conditions.

### Europe Classification

#### Zone 20

Where combustible dusts or ignitable fibers and flyings are present continuously or for long periods of time in quantities sufficient to be hazardous.

#### Zone 22

Where combustible dust or ignitable fibers and flyings are not likely to occur under normal operation in quantities sufficient to be hazardous.

#### Zone 21

Where combustible dust or ignitable fibers and flyings are present continuously or for long periods of time in quantities sufficient to be hazardous.

#### Groups

##### Division 1 & 2:

E - Metals - Div. 1 only  
F - Coal  
G - Grain

##### Zone 0, 1 & 2:

None

# Intrinsically Safe Flashlight Flashlight Safety Standards

## Class III Ignitable Fibers and Flyings

### US Classification

#### Division 1

Where easily ignitable fibers or materials producing combustible flyings are handled, manufactured or used.

#### Division 2

Where easily ignitable fibers are stored or handled

### Europe Classification

Groups

None

Temperature Codes			
US Classification		Europe Classification	
T1	<450	T1	< 450
T2	<300	T2	< 300
T2A	<280		
T2B	<260		
T2C	<230		
T2D	<215		
T3	<200	T3	< 200
T3A	<180		
T3B	<165		
T3C	<160		
T4	<135		
T4A	<120	T4	< 135
T5	100	T5	< 100
T6	<85	T6	< 85

## Flashlight Safety Standards



### UL CERTIFICATION

Underwriters' Laboratories Inc. (UL) is an independent, not-for-profit product-safety testing and certification organization. They have been testing products for public safety for more than a century. In order for a product to bear the certified UL Mark, it must pass all UL requirements at their testing facility.



### IECEX Certification

The IECEx System is a certification system which verifies compliance with IEC international standards relating to safety in hazardous areas. It covers equipment, service facilities and the competency of personnel.



### ATEX Certification

The ATEX directive consists of two EU directives describing what equipment and work environment is allowed in an environment with an explosive atmosphere.



### CE - European Conformity

CE marking certifies that a product has met EU consumer safety, health or environmental requirements.



### RoHS - Restriction of Hazardous Substances Directive

Restriction of the use of certain hazardous substances in electrical and electronic equipment regulations implement by EU directive.

 SAFETY SIGNAGE





### Mandatory Signs

A blue circle containing a white image denoting that a specific course of action must be taken.



Safety helmets must be worn in this area



### Prohibition Signs

A red circular band crossed with a diagonal bar on a white background. A black symbol behind this band indicates the prohibited action.



No smoking



### Safe Condition

A green rectangle or square with a symbol or text in white providing information about first aid, escape or other safe conditions.



Assembly point



### Hazard Warning Signs

A yellow rectangle with a black border and symbol denoting a hazard in the environment.



Danger  
440 volts



### Fire Equipment

A red rectangle or square with a symbol or text in white providing information about the location and use of fire fighting equipment.



Fire point





Industrial Use

## Eyevex SCBA Type-1

- Breathing apparatus RN are certified Type 1 to EN 137:2006 and meeting with directives 89/686/EEC (PPE), 9723/EC (PED) 96/98/EC (MED) e 94/9/EC (ATEX)
- Confined spaces and oxygen deficient environments, tanks and plants inspections: RN breathing apparatus is the right product to face any risk safely

CE Packing: 1x1=1  
Dimension: L X W X H CM  
Net Weight / KG | Gross Weight / KG



Firefighting Use

## Eyevex SCBA Type-2

- Breathing apparatus RN FR are certified Type 2 to EN 137:2006 and meeting with directives 89/686/EEC (PPE), 97/23/EC (PED) 96/98/EC (MED) e 94/9/EC (ATEX)
- Fire, flames, toxic gases: these and many other risk have to be faced by firefighters and rescue teams. SPACIANI offers with the RN FR, a tool that allow to safely meet any situation.

CE Packing: 1x1=1  
Dimension: L X W X H CM  
Net Weight / KG | Gross Weight / KG





### Emergency Escape Breathing Device

## EEBD 15

- Valve / Pressure Reducer: provided with gauge for the continuous reading of the cylinder charge
- Volume / Cylinder Working Pressure: 2 l / 300 bar
- Air reserve: 550 N liters
- Flow: about 36 l/min
- Autonomy: more than 15 minutes
- Certified as a class 15minutes device to EN1146:2005,
- ISO23269-1:2008, 89/686/EEC(PPE), 97/23/EC(PED),96/98/EC(MED)
- Brand: Spaciani
- Made in Italy

CE Packing: 1x1=1  
Dimension: L X W X H CM  
Net Weight / KG | Gross Weight / KG



### Emergency Escape Respirators

## H900 ABEK2HGP3

- Bag: Antistatic
- PVC Hood: PVC coated cotton
- Collar: PU
- Visor: PVC anti-fog treated
- Half-mask: Silicone
- Filter housing: Polypropylene
- Filter media: Activated carbon
- DIN 58647-7:1997 Standard
- PPE (EU) 2016/425

CE Packing: 1x1=1  
Dimension: L X W X H CM  
Net Weight / KG | Gross Weight / KG



#### EyeveX Foldable Stretcher

### EAFS 56, Aluminum Tubular Construction, (30 mm dia)

- With comfortable carrying bag.
- PVC leather, soft texture, comfortable feel, soft and rich colors, waterproof, anti-static, easy to clean.
- The thickness of leather is 0.5mm.
- Load Capacity- 159 KGS
- Conforms to CE EN-ISO 13485:2002
- Size: OPEN-215x55x14 CM; CLOSED-107x18x10.5 CM
- WEIGHT- 5.6 KGS
- Made in India

CE

Packing: 1x1=1  
Dimension: L X W X H CM  
Net Weight / KG | Gross Weight / KG







### EyeveX First Aid Kit 10 Person

## 10 Person First Aid Kit

- Weatherproof plastic , 4.5" x 7.5" x 2.75",
- 10 Person kit
- Sold as kit with 57 items
- Contents meet or exceed those required items from ANSI Z308.1-2009
- 16 1" x 3" Adhesive strips
- 2 Fabric fingertip bandages
- 2 Fabric knuckle bandages
- 4 3" Gauze pads
- 1 Large wound pad
- 1 2" Gauze bandages
- 1 Triangular bandages
- 1 Adhesive tape
- 4 Exam gloves
- 10 BZK Antiseptic wipes
- 6 First Aid / Burn cream packets
- 6 Triple antibiotic ointment packets
- 1 Scissors
- 1 Forceps
- 1 First Aid instructions



Packing: 1x12 CTN  
Dimension: L73 X W28 X H25 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.00



### EyeveX First Aid Kit 25 Person

## 25 Person First Aid Kit

- Weatherproof plastic, 4.5" x 7.5" x 2.75",
- 25 Person kit
- Contents meet or exceed those required items from ANSI Z308.1-2009
- 3 21" x 3" Adhesive strips
- 2 Woven Knuckle bandages
- 2 Woven fingertip bandages
- 5 3" Gauze pads
- 1 Large wound pad
- 1 4" Gauze bandages
- 1 Triangular bandages
- 1 Adhesive tape
- 4 Exam gloves
- 20 Alcohol wipes
- 6 BZK Antiseptic wipes
- 3 Sting relief wipes
- 6 First Aid / Burn cream packets
- 6 Triple antibiotic ointment packets
- 1 Cold pack
- 1 Scissors
- 1 Forceps
- 1 First aid guide



Packing: 1x12 CTN  
Dimension: L73 X W28 X H25 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.00



EyeveX First Aid Kit 50 Person

50 Person First Aid Kit

- Weatherproof plastic, 50 person kit
- Sold as Kit with 165 Items
- Contents meet or exceed those required items from ANSI Z308.1-2009
- 60 1" x 3" Adhesive strips
- 10 Fabric fingertip bandages
- 10 Fabric knuckle bandages
- 5 3" Gauze pads
- 1 Large wound pad
- 1 2" Gauze bandages
- 1 4" Gauze bandages
- 1 Triangular bandages
- 1 Adhesive tape
- 4 Exam gloves
- 20 Alcohol wipes
- 4 PVP Iodine antiseptic wipes
- 15 BZK antiseptic wipes
- 3 Sting relief wipes
- 12 First Aid / Burn cream packets
- 12 Triple antibiotic ointment packets
- 1 Cold pack
- 1 2" Elastic bandage
- 1 Scissors
- 1 Forceps
- 1 First Aid guide



Packing: 1x12 CTN  
Dimension: L73 X W28 X H25 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.00



EyeveX First Aid Kit 100 Person

100 Person First Aid Kit

- Weatherproof plastic, 100 person kit
- Sold as kit with 165 Items
- Contents meet or exceed those required items from ANSI Z308.1-2009
- 100 0/Box 1 Flexible fabric fingertip bandages
- 8/bx 1 Flexible fabric knuckle bandages
- 1 Scissors
- 1 Forceps
- Cold pack 5 1/2" x 8" 2
- Wound dressing pack 2
- Abdominal pad 5" x 9" (sterile combine pad)
- 4" x 4" Gauze pad
- Latex glove
- Gauze bandage 4"
- Roll Adhesive tape 40
- Triangular bandage 2
- 1 x 3 Adhesive strips 100/box 1
- 3/4 x 3 Adhesive strips 100/box 1
- 4 oz Eyewash, pads, strips & cup 1
- Antiseptic towelettes 10/box 1
- Alcohol antiseptic wipes 100/box 1
- Burn spray
- 4oz 1 Antiseptic spray
- 4oz 1 First aid / Burn cream 12/box 1
- Aspirin tablets 50 x 2/box 1
- 4" Elastic bandage 1
- Latex glove 4/box 1
- 3" Cotton tipped applicator 100/bag 1
- First aid guide 1
- Flexible fabric extra lg strips 6/box 1
- Triple antibiotic ointment 12/box 1



Packing: 1x12 CTN  
Dimension: L73 X W28 X H25 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.00



### All purpose First Aid kit

## SJW-004-01

#### COMPONENTS

- 1 Hardcase Plastic Box
- 1 Emergency First Aid Guide
- 1 Medical Grade Vinyl Gloves
- 6 Antiseptic Towelettes
- 5 Esay Access Bandage 3x1"
- 5 Esay Access Bandage 3/4x3"
- 5 Junior Esay Access Bandage 3/8x1.5"
- 5 Adhesive Spot Bandage 3/4x3"
- 3 Butterfly Wound Closures
- 2 Sterile Non-Adherent Pads 2"x3"
- 2 Sterile Non-woven sponges 2"x2"
- 1 Pressure Bandages 2"x2"
- 1 First Aid Tape Roll 1/2"x10yds



Packing: 1x16 pcs / CTN  
Dimension: L54 X W30 X H41 CM  
Net Weight / KG 7.00 | Gross Weight / KG 7.80



### EyeveX First Aid Kit 100 Person

## 100 Person First Aid Kit

#### COMPONENTS

- 1 Bag for triangle tube frame of the bike
- 1 American Red Cross First Aid Guide
- 10 Antiseptic Towelettes
- 5 Esay Access Bandage 3x1"
- 5 Esay Access Bandage 3/4x3"
- 10 Junior Esay Access Bandage 3/8x1.5"
- 5 Butterfly Wound Closures
- 2 Sterile Non-Adherent Pads 2"x3"
- 2 Sterile Non-woven sponges 2"x2"
- 2 Sterile Gauze Pad 2"x2" 8ply
- 1 Pressure Bandages 2"x2"
- 1 Pressure Bandages 3"x3"
- 1 Elasic bandage 3"
- 1 Sterile Eye Pad
- 1 Triangular Bandage 42"x42"x59"
- 3 Safety Pins 28mm
- 1 Medical Grade Vinyl Gloves
- 1 First Aid Tape Roll 1/2"x10yds
- 1 Safely Scissors
- 1 Works Reflect strip
- 1 Security Seal
- 1 Plastic cover box



Packing: 1x12 CTN  
Dimension: L73 X W28 X H25 CM  
Net Weight / KG 10.00 | Gross Weight / KG 11.00



Portable Eyewash Station



**EBS 1000**

**Instructions**

- To open pull lightly the transparent lid and it fall downward.
- Take out one of the bottles, twist The Eye Cup cap, the security seal will break enabling you to use the solution.
- The anatomic Eye Cup allows to direct the solution jet correctly, obtaining an efficient eye wash without any waste.
- After washing your eye, the mirror can be useful to find out the eventual damages occurred.



**Spare Bottle 500ml  
EBB 500**

- Contains the necessary items for an efficient First Emergency eye wash
- Thermo-formed, has a transparent lid
- Can be easily wall-mounted with screw and plug, supplied in the kit

**Contents:**

- 2 Sterile Saline Solution of 500 ml
- 2 Integrated Eye cups
- 1 Mirror

**Dimensions: 410mm x 320mm x 75mm**

**Solution Made in Germany**

**Packed in Italy**

EBS 1000  
Packing: 1x1set  
Dimension: L32 X W9 X H43 CM  
Net Weight / KG 1.25 | Gross Weight / KG 1.50

EBB 500  
Packing: 1x10nos  
Dimension: L30 X W15 X H35 CM  
Net Weight / KG 0.55 | Gross Weight / KG 5.50

Portable Eyewash Station

## EPEW 6015

- Easy Installation with no plumbing required. Can be easily placed near most work hazards with single bracket mounting device
- Large 53 ltr capacity permits thorough flushing by providing 1.5 Lpm over the entire 15 minute flushing period is required as per ANSI Z358.1-2009 and ISO:10592-1982
- Nozzles cover a wide area around the eyes Simple strap design allows easy removal and activation for hands-free flushing, leaving hands free to hold eyelids open
- Easy-to-use design features simple, highly visible operating instructions on the unit itself.
- EN 15154-4:2009, AS 4775-2007, ANIS Z358.1-2014

### Applications

- Chemical and Pharmaceutical work sites
- Fire and Emergency Teams, Hazmat Vehicles
- Remote places in Mining, Agriculture and Construction
- Disaster Management Sites
- Ideal for locations where a plumbed water source is not available



**Weight: N.W 4.7, 39kg Full.**

Portable Eyewash Station

## EPEW 9015

### Application

Self-contained 9 gallon gravity flow eyewash unit uses gravity to deliver water through dual spray heads. Unit delivers over six gallons(22.5 liters) of water for 15 minutes, and complying with ANSI Z358.1-2014 for eyewash. Unit is ideal for use where a continuous supply of potable water is not available, especially in remote plant areas, low traffic and/or low hazard areas. EN 15154-4:2009, AS 4775-2007, ANIS Z358.1-2014




**Weight: N.W 4.7, 39kg Full.**

Eyewash

**EE 2796 YR**

- Bowl: ABS plastic in safety yellow
- Valve: Eye washer valve is making of 1/2" brass ball valve.
- Water supply: 1/4" IPS & Water Outlet: 1" IPS
- Water working pressure: 0.2MPA-0.8MPA
- Flow control: 12L/Min.
- Original water: Clean water or leached water
- Activation: Eye washer is activated by push handle.
- Package: Carton size: 52 x 29 x 26 cm  
1 set per export carton
- G.W.: 5kg | N.W.: 4.5Kg
- Meets CE (EN 1514-1:2006, EN 1514-2:2006) & ANSI Z358.1

Packing: 1x1  
Dimension: L52 X W29X H26 CM  
Net Weight / KG 4.50| Gross Weight / KG 5.00





Eyewash

**EE 2797 SS**

- Bowl: High quality Stainless steel 304
- Valve: Eye washer valve is making of 1/2" stainless steel 304 ball valve
- Water supply: 1/4" IPS & water Outles: 1" IPS.
- Water working pressure: 0.2MPA-0.8MPA
- Flow control: 12L/Min.
- Original water: Clean water or leached water
- Activation: Eye washer is activated by push handle
- Package: Carton size: 52 x 29 x 26cm, 1set per export carton
- G.W.: 5kg | N.W.: 4.5Kg
- Meets CE (EN 1514-1:2006, EN 1514-2:2006) & ANSI Z358.1

Packing: 1x1  
Dimension: L52 X W29X H26 CM  
Net Weight / KG 4.50| Gross Weight / KG 5.00






Eyewash

**EE 2798 YR**

- Bowl: ABS plastic in safety yellow
- Valve: Eye washer valve is making of 1/2" brass ball valve
- Water supply: 1/4" IPS & Water Outlet: 1-1/4" IPS
- Water working pressure: 0.2MPA-0.8MPA.
- Flow control: 12L/Min.
- Original water: Clean water or leached water.
- Activation: Eye washer is activated by push handle or foot treadle
- Meets CE (EN 1514-1:2006, EN 1514-2:2006) & ANSI Z358.1

Packing: 1x1  
Dimension: L81 X W26X H26 CM  
Net Weight / KG 10.00| Gross Weight / KG 11.00




Eyewash

**EE 2799 SS**

- Bowl: High quality Stainless steel 304.
- Valve: Eye washer valve is making of 1/2" stainless steel 304 ball valve
- Water supply: 1/4" IPS & Water Outlet: 1-1/4" IPS
- Water working pressure: 0.2MPA-0.8MPA.
- Flow control: 12L/Min.
- Original water: Clean water or leached water.
- Activation: Eye washer is activated by push handle or foot treadle
- Meets CE (EN 1514-1:2006, EN 1514-2:2006) & ANSI Z358.1

Packing: 1x1  
Dimension: L73X W28X H25 CM  
Net Weight / KG10.00| Gross Weight / KG 11.00




**Eyewash**

**EE 2796 YR**

- Piping: Galvanized steel
- Valve: 1/2" corrosion-resistant brass ball valve
- Shower head: 250 mm ABS in safety yellow color
- Shower Activation: By pull rod stainless steel 304
- Eyewash Bowl: ABS in Safety Yellow color
- Eyewash Head: 2 sprayers with dust cover
- Eyewash Activation: By push handle or foot pedal
- Water Supply: 1/4 IPS
- Water working pressure: 0.2MPA-0.8MPA
- Flow control: 114 L/Min.
- Original water: Clean water or leached water
- Meets CE (EN 1514-1:2006, EN 1514-2:2006) & ANSI Z358.1

Packing: 1x1  
Dimension: L90 X W45X H28 CM  
Net Weight / KG 18.00| Gross Weight / KG 19.00



**Eyewash**

**EE 2797 SS**

- Shower Head/Bowl: High quality Stainless steel 304
- Valve: Shower valve is made of 1" stainless steel 304 ball valve
- Eye washer valve is making of 1/0" stainless steel 304 ball valve
- Water supply & outlet: 1-1/4" IPS
- Water working pressure: 0.2MPA-0.8MPA
- Flow control: 76L/Min.
- Original water: Clean water or leached water
- Activation: Shower is activated by pull rod
- Eye washer is activated by flag handle or foot treadle
- Meets CE (EN 1514-1:2006, EN 1514-2:2006) & ANSI Z258.1

Packing: 1x1  
Dimension: L90 X W45X H28 CM  
Net Weight / KG 17.00| Gross Weight / KG 18.00



### Portable Eyewash

## EPE 10

- Portable eye wash is made of 304 stainless steel equipped with pressure reducing valve to keep the water flow stable
- Add 10 litre pure water when in use
- Change the water and add air every 90 days
- Push 50 times 3MPa by hand to add air pressure
- Water flow last more than 15 minutes
- Made in China



### Eyewash/Shower

## Portable Multiple Nozzle Decontamination Collapsible Shower

- Compliance: EN 15154-1&2:2006, AS 4775:2007, ANSI Z358-1-2014
- Material: U-PVC, ABS
- Product Weight: 10 Kgs. Approx.
- Carry bag for shower included
- Set-up time: 1-2 minutes [as trained]
- Single water inlet: Standard Garden Hose 1.1/4"
- Dimensions: 950mm x 950mm x 2200mm (Assembled)
- Total Output: 110LPM Min.
- Nine Shower Nozzles (optional - independent hand held sprayer)



Eyewash

## ABS 'SwirlTec' Compact Shower Head

- SafeEye faucet mounted eyewash converts any faucets into an emergency eyewash station without interfering with normal faucet operation.
- A SafeEye unit may be installed at any sink. In an emergency, the unit is quickly activated, and provides an unlimited supply of potable water for the user's eyes.
- MOC: Brass with finished chrome plating.




Eyewash/Shower

## ABS 'SwirlTec' Compact Shower Head

- Shower pattern as per ANSI standards
- Swirling effect of water provides complete drenching
- Can be used with or without Yellow Dome






ESE 2802

## ABS 'SwirlTec' Compact Shower Head

- SafeEye faucet mounted eyewash converts any faucets into an emergency eyewash station without interfering with normal faucet operation.
- A SafeEye unit may be installed at any sink. In an emergency, the unit is quickly activated, and provides an unlimited supply of potable water for the user's eyes.
- MOC: Brass with finished chrome plating.



ESE 2803

## ABS 'SwirlTec' Compact Shower Head

- Shower pattern as per ANSI standards
- Swirling effect of water provides complete drenching
- Can be used with or without Yellow Dome



ESE 2804



## Emergency Shower Eyewash Room

- Emergency eyewash shower room is fully made of 304 stainless steel, manufactured as per standard ANSI/ISEA Z358.1-2014.
- Someone can immediately clear off when he is hurt by acid, causticity, industry solvent or corrosive product accidentally.
- Product surface: acid proof and endure cauterization. Use 304 stainless steel pipe and all connects are made in brass, which can prevent rust inside.
- Shower Nozzle:  $\phi 70$  soft rubber protecting cup to avoid second hurt resulted by colliding eyes when in use. Meanwhile it can reduce the water pressured to avoid hurting eyes. There is a connection between cup and dust-proof tray to avoid falling off.
- Standard Water Pressure: Efficient water flow within 1 second after active.
- Water Flow: Double eye wash >10L/Min. Shower head >80L/Min.

UTS-1



## Self Contained Tank Chiller Eye Wash & Shower

- The structure is made of SS 304 grade materials
- Eyewash and Shower are made of SS 304 materials
- Tank is made with SS304 inside and FRP outside
- Chiller unit is of standard construction with outer body panels made from MS powder coated sheets
- Eyewash will give a flow of more than 12lpm
- Shower will give a flow of more than 77lpm
- Tank capacity is 1400 ltr to ensure continuous supply of water for more than 15 minutes
- Integral water pump of 1HP ensures adequate flow of water to the shower and eyewash heads
- Water pump is activated as soon as the shower or eyewash is activated
- Power required for Chiller 230V, 1 phase
- Dimensions - 1200 x 1225 x 3840mm, Approx. Weight - 500Kg
- Chiller unit dimensions - 970 x 720 x 600mm
- Compliance :ANSI Z 358.1:2014





## Eyevex ELC 8600 8 Oz Lens Cleaning Station

- Contains 8 ounce of anti - fog/anti-static cleaner
- Fine mist Spray Pump
- 600 highlyabsorbent tissue 4 1/2" x 8 1/2"
- Made in USA

Packing: 1x10  
Dimension: L54 X W47 X H24 CM  
Net Weight / KG 7.50 | Gross Weight / KG 8.00



## Eyevex ELC 161200 16 Oz Lens Cleaning Station

- Contains 16 ounce of anti - fog/anti-static cleaner
- Fine mist Spray Pump
- 1200 highlyabsorbent tissue 6"x5"
- Made in USA

Packing: 1x10  
Dimension: L52 X W26 X H48 CM  
Net Weight / KG 14.00 | Gross Weight / KG 14.80



## Eyevex ELC 8600P Disposable Lens Cleaning Station

- 8 Ounce Lens Cleaning Station
- Wall Steady Tissue Dispenser



**EyeveX ELR 8600 T**  
Replacement Tissue for ELC8600

- Heavy Duty, lint free tissues are strong & wont scratch lenses
- Made of 100% recycled fiber
- 4 1/2" x 8 1/2" - 600 pcs
- Made in USA

Packing: 1x10  
Dimension: L48 X W37 X H38 CM  
Net Weight / KG 9.30 | Gross Weight / KG 11.80



**EyeveX ELR 8600 T**  
Replacement Tissue for ELC8600

- Heavy Duty, lint free tissues are strong & wont scratch lenses
- Made of 100% recycled fiber
- 4 1/2" x 8 1/2" - 600 pcs
- Made in USA

Packing: 1x10  
Dimension: L48 X W37 X H38 CM  
Net Weight / KG 9.30 | Gross Weight / KG 11.80

**Replacement Lens Cleaning Solution**

**EyeveX ELC 8600 RS**

- W/spray pump
- 8 oz cleaning solution cleans and protects from fogging and static in one easy step, contains no silicone
- Made in USA

Packing: 1x10  
Dimension: L37 X W23 X H24 CM  
Net Weight / KG 3.50 | Gross Weight / KG 6.35



**EyeveX ELC 161200 RS**

- W/spray pump
- 16 oz cleaning solution cleans and protects from fogging and static in one easy step, contains no silicone
- Made in USA

Packing: 1x10  
Dimension: L43 X W30 X H18 CM  
Net Weight / KG 14.00 | Gross Weight / KG 15.00





## OIL SPILL KITS



### 5 Gallon Portable Oil Spill Kit

## Spill Master SOSK 5 20 Liters

- Canvas Bag (Size: 21"x3"x19")
- Absorbent Pads L/Sheets - 10 sheets
- Absorbent Socks - 2 Pcs
- Disposable Bag - 1 Pc
- Glove - 1 pair
- Goggle - 1 pc



### 10 Gallon Portable Oil Spill Kit

## Spill Master SOSK 10 40 Liters

- Canvas Bag (Size: 20"x8"x12")
- Absorbent Pads L/Sheets - 20 sheets
- Absorbent Socks - 4 Pcs
- Disposable Bag - 2 Pc
- Glove - 1 pair
- Goggle - 1 pc



20 Gallon Portable Chemical Spill Kit

**Spill Master SCSK 20**  
80 Liters

- Canvas Bag (Size: 22"x30"H)
- Absorbent Pads L/Sheets - 40 sheets
- Absorbent Socks - 4 Pcs
- Disposable Bag - 8 Pc
- Glove - 1 pair
- Goggle - 1 pc



40 Gallon Portable Chemical Spill Kit

**Spill Master SCSK 40**  
115 - 150 Liters

- Canvas Bag (Size: 23"x30"H)
- Absorbent Pads L/Sheets - 50 sheets
- Absorbent Socks - 8 Pcs
- Disposable Bag - 10 Pc
- Glove - 1 pair
- Goggle - 1 pc



OIL SPILL KITS



20 Gallon Portable Oil Spill Kit

**Spill Master SOSK 5**  
20 Liters

- Canvas Bag (Size: 21"x3"x19")
- Absorbent Pads L/Sheets - 10 sheets
- Absorbent Socks - 2 Pcs
- Disposable Bag - 1 Pc
- Glove - 1 pair
- Goggle - 1 pc



10 Gallon Portable Oil Spill Kit

**Spill Master SOSK 10**  
40 Liters

- Canvas Bag (Size: 20"x8"x12")
- Absorbent Pads L/Sheets - 20 sheets
- Absorbent Socks - 4 Pcs
- Disposable Bag - 2 Pc
- Glove - 1 pair
- Goggle - 1 pc



**Eyevex**<sup>®</sup>  
Our vision Your safety



#### 20 Gallon Portable Oil Spill Kit

### Spill Master SOSK 20 80 Liters

- Canvas Bag (Size: 22"x30"H)
- Absorbent Pads L/Sheets - 40 sheets
- Absorbent Socks - 4 Pcs
- Disposable Bag - 8 Pc
- Glove - 1 pair
- Goggle - 1 pc



#### 40 Gallon Portable Oil Spill Kit

### Spill Master SOSK 40 115 - 150 Liters

- Canvas Bag (Size: 23"x30"H)
- Absorbent Pads L/Sheets - 50 sheets
- Absorbent Socks - 8 Pcs
- Disposable Bag - 10 Pc
- Glove - 1 pair
- Goggle - 1 pc





**OPCC 155**

- 65/35 % Poly Cotton preshrunk material 155-160gsm
- Colour fastness
- Elastic waist take-up
- Two-way heavy duty front zipper
- Six pockets including zipper chest pocket
- One tool pocket
- Double stitched seems
- Adjustable snap cuffs
- Pen pocket on sleeve
- Size small to 5 XL
- Conforms to EN340:2003 standards

Packing: 25pcs/CTN  
Dimension: L48 X W38 X H27 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00



**OPCPS 160**

- 65/35 % Poly Cotton preshrunk material 160gsm
- Colour fastness
- Elastic waist take-up
- Two-way heavy duty front zipper
- Six pockets including zipper chest pocket
- One tool pocket
- Double stitched seems
- Adjustable snap cuffs
- Pen pocket on sleeve
- Size small to 5 XL
- Conforms to EN340:2003 standards

Packing: 25pcs/CTN  
Dimension: L48 X W38 X H27 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00



**OPCPS 245**

- 65/35 % Poly Cotton preshrunk material 245gsm
- Colour fastness
- Elastic waist take-up
- Two-way heavy duty front zipper
- Six pockets including zipper chest pocket
- One tool pocket
- Double stitched seems
- Adjustable snap cuffs
- Pen pocket on sleeve
- Size small to 5 XL
- Conforms to EN340:2003 standards

Packing: 25pcs/CTN  
Dimension: L48 X W38 X H27 CM  
Net Weight / KG 12.00 | Gross Weight / KG 13.00



**OCW 240**

- 100% Cotton preshrunk material 240gsm
- Colour fastness
- Elastic waist take-up
- Hanger loop on collar
- Concealed two way nylon zipper
- Six pockets including zipper chest pocket
- One tool pocket
- Double stitched seems
- Adjustable snap cuffs
- Pen pocket on sleeve
- Bartacking to support extra load
- Size small to 5 XL
- Conforms to EN340:2003 standards

Packing: 25pcs/CTN  
Dimension: L58 X W37 X H45 CM  
Net Weight / KG 22.00 | Gross Weight / KG 23.00

**OCW 260 P**

- 100% Cotton preshrunk material 260gsm
- Colour fastness
- Elastic waist take-up
- Hanger loop on collar
- Concealed two way nylon zipper
- Six pockets including zipper chest pocket
- One tool pocket
- Double stitched seems
- Adjustable snap cuffs
- Pen pocket on sleeve
- Bartacking to support extra load
- Size small to 5 XL
- Conforms to EN340:2003 standards

Packing: 25pcs/CTN  
Dimension: L58 X W37 X H45 CM  
Net Weight / KG 22.00 | Gross Weight / KG 23.00

**OCW 280 PM**

- 100% Cotton preshrunk material 280gsm
- Colour fastness
- Elastic waist take-up
- Hanger loop on collar
- Concealed two way nylon zipper
- Six pockets including zipper chest pocket
- One tool pocket
- Double stitched seems
- Adjustable snap cuffs
- Pen pocket on sleeve
- Bartacking to support extra load
- Size small to 5 XL
- Conforms to EN340:2003 standards

Packing: 25pcs/CTN  
Dimension: L58 X W37 X H45 CM  
Net Weight / KG 22.00 | Gross Weight / KG 23.00



Flame Retardant 100% Cotton Coverall

## FW 2260 with PYROVATEX® Chemistry

- Concealed stud front
- Two chest patch pockets with concealed single flap
- Back pocket and rule pocket
- Reinforced stress points
- Side swing pockets in self fabric, side access
- Stud adjuster to sleeve cuffs
- Studded neck closure
- Industrial Laundry 75 c -Max 50x
- Conforms to DIN IEN ISO 11612 A1 + A2/B1/C1/E1/F1, DIN EN ISO 11611 Class 1 - A1 + A2 / Class 2-A1+A2
- Fabric: 100% cotton drill, with flame retardant finish, 260gsm
- Colour: Navy, Orange, Red, Royal, Vat Green



Packing: 25pcs/CTN  
Dimension: L60 X W40 X H41 CM  
Net Weight / KG 30.00 | Gross Weight / KG 31.00





Anti-static 100% Cotton Coverall

## FW 2250 A with PYROVATEX<sup>®</sup> Chemistry

- Anti-static property workwear
- Two chest patch pockets with concealed single flap
- Back pocket and rule pocket
- Reinforced stress points
- Side swing pockets in self fabric, side access
- Slud adjuster to sleeve cuffs
- Studded neck closure
- Fitted with 3M reflective tape
- Industrial Laundry 75 °C - Max 50x
- Conforms to DIN IEN ISO 11612 A1 + A2/B1/C1/E1/E2/F1,  
DIN IEN ISO 11611 Class 1 - A1 +A2/Class 2-A1+A2
- Fabric: 100% cotton drill, with flame retardant finish. 250gsm
- Colour: Navy Orange, Red Royal Vat Green



Packing: 25pcs/CTN  
Dimension: L60 X W40 X H41 CM  
Net Weight / KG 30.00 | Gross Weight / KG 31.00





Beige



Navy Blue



Orange



Flame Retardant 100% Cotton Shirt

**FW 220**  
with PYROVATEX<sup>®</sup> Chemistry

- 100% Cotton Twill weave, Durable Flame Retardant Finish 220gsm, with reflective tape stitched
- Turn down collart, 2 Chest pocket, with flap & button, pen pocket back pocket, cuff with nylon button
- Protection against flash fire, Electric arc exposure, Heat and Flame
- Conforms to EN ISO 11612 A1, B1, C1, EN 61482-1-1 Class 1



Packing: 25pcs/CTN  
Dimension: L60 X W40 X H41 CM  
Net Weight / KG 30.00 | Gross Weight / KG 31.00






Flame Retardant 100% Cotton Pant

**FWP 260**  
with PYROVATEX Chemistry

- 100% Cotton Twill weave, Durable Flame Retardant Finish 260gsm astic waist, fly opening with metal zipper closure, back pocket with flap & velcro closure, tool pocket with reflective tape stitched
- Protection against flash fire, Electric arc exposure, Heat and Flame
- Conforms to NFPA 2122, NFPA 70e, EN ISO 11612 A1 A2 B1 C1 E1 F1, EN 14116, EN ISO 11611, EN 61482-1-2 Class 1



CE Packing: 25pcs/CTN  
Dimension: L60 X W40 X H41 CM  
Net Weight / KG 30.00 | Gross Weight / KG 31.00





Inherent FR Coverall

**FW 18555432 IFR**  
Inherently flame resistant

- 55% Modacrylic 43% Cotton 2% Antistatic
- Hanging Loop on Collar
- Concealed elastic side waist
- Two-way Heavy duty YKK metallic Zipper, storm flap & concealed metallic snap Button closure system
- Adjustable cuffs with concealed snap/press buttons
- 9 Pockets Design
- Double Stitched 1 "FR reflective tapes on shoulder, arms (2 strips) & legs (2 strips) with 50mm gap
- EN ISO 11612:2015 (A1, B1, C1), EN ISO 13688:2013
- BS 5426:1993, IEC 61482-1-2, CLASS 1
- EN 1149-5:2008, NFPA-2112, ASTM D 6413-99
- ASTM D 737, ATPV 4.1 cal/cm<sup>2</sup> – CAT 1



Packing: 25pcs/CTN  
Dimension: L60 X W40 X H41 CM  
Net Weight / KG 30.00 | Gross Weight / KG 31.00







EN 340

## EyeveX SDC 5005 Disposable Coverall

- 50 Gsm Heavy duty workwear
- Perfect-fitting
- Long lasting
- Comfortable to wear
- Highly effective
- Fine-Finish
- Features: Elasticated hood, waist, wrist and ankles,
- Lint free providing barrier protection

### Applications:

- Ship maintenance garages
- Poultry
- Fisheries
- Painting
- Assembly
- Cleaning
- Facility Maintenance, Visitors clothing protection

Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 14.00 | Gross Weight / KG 16.00





EN 340

## EyeveX SDC 6004 Microporous Disposable Coverall

- The EyeveX Protective coverall SDC 6004 is designed to protect against certain light liquid splashes (Type 6) and hazardous dusts (Type 5) Microporous 60g/m2 with hood. Zip front opening covered by self adhesive flap. Elastic at cuffs, ankles, hood and waist, Blue bound seams.
- CAT III Type 4/5/6 certified EN 1149-5:2008
- Size: M-4XL
- Color: White
- Material: Microporous 60-65g
- Knitted cuffs are available
- Antistatic

### Certified to Protection level



TYPE 4

Type EN14605-2005 + A1:2009

Protective clothing against liquid chemicals. Performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) Connections including items providing protection two parts of the body only (Type PB (3) and PB(4))



TYPE 5

Type 5 EN13982-2-2004

Protective clothing for use against solid particulates- Part 1 : Performance Requirements for chemical protective clothing providing protection to the full body against air borne solid particulates (Type 5 clothing)



TYPE 6

Type 6 EN13034:2005+A1 : 2009

Protective clothing against liquid chemicals. Performance Requirements for chemical protective clothing offering limited protective performance against liquid chemicals (Type 6 and Type PB (6) equipment) BS EN 1303 5 +A1 2009



EN 1149-5



EN 14126



EN 1073-2

Packing: 1x12x25=300  
Dimension: L85 X W30 X H50 CM  
Net Weight / KG 14.00 | Gross Weight / KG 16.00



## EyeveX OLC 185 Lab Coat

- 65% Polyester, 35% cotton material 185gsm
- Colour fastness
- Pen pocket on sleeve
- Action back
- Size small to 5XL
- Conforms to EN 340:2003 standards

Packing: 1x25 per CTN  
Dimension: L52 X W38 X H22 CM  
Net Weight / KG 14.00 | Gross Weight / KG 14.50



## EyeveX OWJ 170 Winter Jacket Navy blue

- Fabric: 170T Polyester with PVC coating
- Lining : 190T Polyester Taffeta
- Padding: 160g Polyester
- Zip off removable hood with PP string and stoppers
- CF zipper: 5# plastic open-end zipper
- 1 zipper patch pocket and 1 phone pocket on the left chest
- 1 patch pocket with flap and snaps closure on the right chest
- 2 side down patch pocket snap closure
- Rib inner wind cuff
- Hem adjusted by PP string stoppers
- All seams seal taped



## Oryx Winter Jacket OWJR 300 Winter jacket reflective

- Fabric: 300D Polyester Oxford with PU micky coating
- Lining: 190T Polyester Taffeta
- Padding: 160g Polyester
- Description: Concealed hood foldaway in back Collar with velcro connected, hood with PP string and stoppers
- CF zipper: 5# plastic open-end zipper
- 2 side down patch pockets with flaps and velcro
- 1 local reflective tapes around body, shoulders and sleeves
- All seam seal tape





## EyeveX ORC 185 Winter Coat

- Raincoat has 2 lower pocket
- Corduroy collar with detachable hood
- Drawstring adjustable hood
- Snap adjustable cuff



## EyeveX ORS 185 Winter Suit

- Constructed of .35mm PVC over polyester
- Detachable hood
- Corduroy collar
- Cape back with circle vents
- Adjustable snaps on the jacket and bib cuffs
- Two large pockets with flaps on jacket front
- Poly/web lining adds strength and durability
- Snap fly on bibs
- Heavy-duty buckles on suspenders
- Non-conductive and non-corrosive hardware





## EyeveX SVG 60M/SVO 60M Safety Vest 100% Polyester Mesh

- Lightweight
- Mesh Type
- Breathable and fast drying providing comfort under all weather conditions
- 2 inch beaded reflective over each shoulder vertically and a two reflective strip around chest and abdomen area horizontally
- Available in fluorescent Orange and Green
- Certified to EN 471 Standard

CE EN 471

Packing: 1x100  
Dimension: L45 X W33 X H26 CM  
Net Weight / KG 6.50 | Gross Weight / KG 7.00



## EyeveX SVG 120T/SVO 120T Safety Vest 100% Polyester Tricot

- Heavy duty
- Tricot Type
- Breathable and fast drying providing comfort under all weather conditions
- 2 inch beaded reflective over each shoulder vertically and a two reflective strip around chest and abdomen area horizontally
- Available in fluorescent Orange and Green
- Certified to EN 471 Standard

CE EN 471

Packing: 1x100  
Dimension: L45 X W43 X H26 CM  
Net Weight / KG 10.50 | Gross Weight / KG 11.00





## Oryx Cooling Vest CSVO 8060 Cooling Safety Vest with Ice Pack

- Hi-Vis Safety Cooling Vest with Ice Pack
- 80/20 Poly-cotton
- Quilted Material: 60gsm-100% Polyester
- 100% water proof lining
- With reflective tape
- Non-toxic and ecofriendly ice pack
- Re-usable cooling ice pack
- Cooling effect: 12°C to 15°C
- Cooling period: 4-5 hours each 3 pieces of ice pack
- Made in China



Packing: 1x100  
Dimension: L45 X W43 X H26 CM  
Net Weight / KG 10.50 | Gross Weight / KG 11.00



### Chemical Coverall

## Oryx OCC 6005 / EPCPS 6006 Safety Vest 100% Polyester Tricot

- Material: PVC
- Protection in oil refineries, chemical handling, hazardous materials waste clean up and utilities industries
- Single elasticate wrist
- Press studs zip-flap cover provide chemical resistance
- Taped inner and outer seams
- Color: Green
- Standard: EN 14605:2005



Packing: 1x100  
Dimension: L45 X W43 X H26 CM  
Net Weight / KG 10.50 | Gross Weight / KG 11.00



## EyeveX OMS 500 Aluminium Mirror Suit

- Material: 500 g/m2 aluminium glass fibre base material
- Withstand 95 seconds of radiant heat as per EN ISO 6942
- Aluminised material not easily peeled from base material
- Application: Industrial environment with indirect heat contact
- Standard: ISO 11612:2008 - NF EN 407



## EyeveX OSS 015 Sandblasting Suit

- Material: Helmet - ABS + Urethane, Hood - Urethan+Nylon  
Goggle part - PC ABS + Urethane
- Head harness, sizing and adjustment options
- Excellent air-flow distribution; easier breathing and lower noise
- Excellent visibility with patented wind-able clear film mechanism
- Designed to minimize impact from shot, sand and sand abrasive blasting
- Supplied air respirator
- 200 L/minimum air requirement
- Less than 80dB Noise



## EyeveX OSP 016 Painting Suit

- Material: Helmet - ABS, Hood - Cotton  
Goggle part - PC ABS
- Head harness, sizing and adjustment options
- Excellent air-flow distribution; easier breathing and low noise
- Excellent visibility with patented wind-able clear film mechanism
- Detachable helmet and hood for replacement
- supplied air respirator
- 200 L/minimum air requirement
- Less than 80dB noise





## EyeveX SLJ 150 Inflatable life-jacket

- Extra cover suitable for welders, fire brigades and those with particular needs for safety equipment
- High visibility
- Conforms to DIN EN 396 (Standard, SPR) DIN EN ISO 12402-3



## EyeveX SLJ-A 275

- Special cover for fire brigade use
- Can be worn with or without breathing apparatus
- Suitable for use with helmets, when inflated as well
- Conforms to DIN EN ISO 12402-2

CE



## EyeveX OBS 58 Back Support Belt

- Lumbar area conforms to the lower lumbar region and features lumbar pad with built-in air holes for ventilation
- Contoured design with 5" front and 8" back for people who lift average weight loads or engage in repetitive work motion
- Double closure system provides superior abdominal support
- 1 1/2 suspenders come with exclusive breakway "swivel clips"





## CC24 Cocoon Cold Store Jacket

- Generously fashioned with curved cut on arms to allow comfortable movement
- Double stitched seams for added strength
- Soft and supple warm specialist insulation with low bulk
- Latest technology in high visibility fabric on shoulders
- Bellows breast pocket
- Heavy duty plastic front zip on jacket with protective cover fastened with press-studs.
- Warm lined polar fleece collar with adjustable tag to allow snug fit.
- Enhanced arm design with thumb loop – warmth and mobility combined
- 200gsm hollow fibre wadding, tested to -25 – Conforms to EN342



## CC25 Cocoon Cold Store Trousers

- Generously fashioned to allow comfortable movement
- Double stitched seams for added strength
- Soft and supple warm specialist insulation with low bulk
- Trousers have gussets at the knee to allow for comfortable movement and knee pouch pocket to accommodate knee pads.
- Trousers have elastic braces with non-metallic clips and back spacer, and salopettes adjustable shoulder straps.
- 200gsm hollow fibre wadding



## CC26

### Cocoon Cold Store Salopettes

- Generously fashioned to allow comfortable movement
- Double stitched seams for added strength
- 200gsm hollow fibre wadding, tested to -25 – Conforms to EN342
- Soft and supple warm specialist insulation with low bulk
- Salopettes have 'combat' style pockets, gussets at the knee to allow for comfortable movement and knee pouch pocket to accommodate knee pads.
- Trousers have elastic braces with non-metallic clips and back spacer, and salopettes adjustable shoulder straps.



## CC27

### Cocoon Cold Store Coveralls

- Generously fashioned with curved cut on arms to allow comfortable movement
- Double stitched seams for added strength
- 200gsm hollow fibre wadding, tested to -25
- Soft and supple warm specialist insulation with low bulk
- Bellows breast pocket
- Heavy duty plastic front zip on jacket with protective cover fastened with press-studs.
- Warm lined polar fleece collar with adjustable tag to allow snug fit.
- Combat style pockets on leg
- Internal knee pad pockets



# FALL PROTECTION





## EEP 1001 Lanyard

- Double, Y shaped lanyard
- Webbing lanyard incorporated with energy absorber
- 44mm wide polyester webbing with both side textile loops
- 2 ends of the lanyard equipped with steel scaffold hook and the other end is carabiner
- Length: 1.8 mtr
- Material: Polyester
- Maximum breaking strenght: 25Kn
- Material: Alloy Steel
- Tested as per EN 355:2002



## EFP 1002 Fall Arrester

- One Dorsal attachment D-Ring for fall arrest
- Ideally Positioned Sit-Strap for extended comfort
- Adjustable shoulder straps
- Adjustable leg straps
- Material: Polyester
- Tested as per EN 361:2002



## MAGNA 3 Full Body Harness


- Full body harness
- Attachment elements: 1 dorsal & sternal D-Ring for fall arrest, 1 Ventral D-Ring at waist level in front for rope access & 2 lateral D-Rings at waist level on the sides for work positioning
- All the D-Rings and automatic buckles are aluminium with black powder coated.
- Conforms to: EN 361:2002, EN 358:2000 & EN 813



## PCG FALL ARRESTER

- One Dorsal attachment D-Ring for fall arrest
- Ideally Positioned Sit-Strap for extended comfort
- Adjustable shoulder straps
- Adjustable leg straps
- Material: Polyester
- Tested as per EN 361:2002





## ESF 200A Rope grab

- Works on 14mm to 16mm dia. Anchorage line
- Steel karabiner PN-112 as an attachment
- Has unique gravity locking mechanism to prevent incorrect use
- Double security locking system
- Conforms to EN 353-2:2002



## EFP 1002 Twisted Rope

- 14mm Polyamide twisted rope
- One side loop other side and stop knot
- Length: 50 mtr



## EFP 7000

### Vertical Anchorage Line System on Rigid Cable Line

- Certified to EN 353-1:2014+A1:2017
- Stainless Steel Shock Absorber at the top of the line.
- 2 mounting brackets-one at the top & one at the bottom
- Locking pins attached by cables.
- Securely connected two eyebolts to be used for connection to personal protective equipment.
- A pulley system provided for steel cable guiding in case a winch is used in the system.



## EFP 8000

### Vertical Anchorage Line System On Rigid Aluminium Rail

- Maximum lifting load capacity as per EN 1496 : 135 kgs.
- Steel screw locking karabiner usp-h6
- The length of galvanized steel wire rope is 20 meters
- Can be mounted on tripods with the help of their fastener.





## ETP 9000 Tripod

- Adjustable height from 1.25m to 2.25m from ground level.
- Adjustment achieved by sliding telescopic legs (Inner & Outer).
- Maximum dia when fully opened is 1.6 mtr.
- Locking pins attached by cables.
- Securely connected two eyebolts to be used for connection to personal protective equipment.
- A pulley system provided for steel cable guiding in case a winch is used in the system.



## EWN 9001 Winch

- Maimum lifting load capacity as per EN 1496 : 135 kgs.
- Steel screw locking karabiner usp-h6
- The length of galvanized steel wire rope is 20 meters
- Can be mounted on tripods with the help of their fastener.




## Eyevex Hand Pallet Truck



Over  
**5,000,000**  
units sold

1KG=2.205LB 1INCH=25.40MM

Model	BF
load rating	12500kg
service weight	55-60kg
fork's minimum altitude	75/85mm
front wheel's size	160/ 180
real-wheel's size	70x80( 70x60)
lifting altitude	190/200mm
overall height handle top from ground	1176.5mm
overall length	1470/1520/1590
fork's size	53x150x1100/1150/1220
fork's width	380/480/450/520/550/680
The wheelbase center ground clearance	22/32mm
turning radius	1215/1265/1335
Aisle width, with pallet 1000x1200 crosswise	1670/1720/1790
Aisle width, with pallet 800x1200 lengthwise	1770/1770/1790



**Remark:** Special size for width and length can be made according to customer's requirements.



Adjustable pump cap




Adjustable straight tappet



Option: fully rubber wrapped handle



Entry roller for easy operation  
Innovative wheel frame



# PURCHASE ONLINE



[eyevexonline.com](http://eyevexonline.com)



[www.eyevexsafety.com](http://www.eyevexsafety.com)



You can now purchase online at



[www.eyevexonline.com](http://www.eyevexonline.com)

**EyeveX Safety LLC - Dubai Branch:**

Sheikha Sana Warehouse A 06  
29 A street, 327, Umm Suqeim Road,  
Al Quoz Industrial Area 3, Dubai, UAE  
P.O. Box 27307, Makani No.: 19358 79457

**Contact:**

Tel: +971 4 255 0024 - Main Office

Tel: +971 4 591 9980 - Showroom

**Email: [scheffer@emirates.net.ae](mailto:scheffer@emirates.net.ae)**

**EyeveX Safety DMCC:**

Unit No. 1773 DMCC Business Centre,  
Level 1, Jewellery & Gemplex 3,  
P.O Box 27307

Dubai, United Arab Emirates

**Email: [scheffer@emirates.net.ae](mailto:scheffer@emirates.net.ae)**

**EyeveX Safety LLC - SHJ BR.  
(Schefferville Trading L.L.C.):**

Sharjah United Arab Emirates.  
Office No. 1 Sultan Building,  
Industrial Area 3 GECO Dubai Road  
Tablik Markaz Sharjah P.O. Box 63934

**Contact:**

Tel : +971 6 5757860

Fax : +971 6 5757890

**Email: [scheffer@emirates.net.ae](mailto:scheffer@emirates.net.ae)**

**EyeveX Safety INC. - India Branch**

UBS Villa No. 10, Sherborne IVY Enclave,  
Edachira, Kochin 6820230, India

**Email: [india@eyevexsafety.com](mailto:india@eyevexsafety.com)**

**EyeveX Safety U.S.A**

1013 Centre Road, Suite 403-B,  
Wilmington, DE 19805, U.S.A

**Email: [scheffer@emirates.net.ae](mailto:scheffer@emirates.net.ae)**

